

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

## SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 3, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 3, 1903, was 707, being at the annual rate of 21·6 per thousand of the estimated population. This rate is 1·6 below that for the corresponding week of last year, but 0·3 above that for the week immediately preceding.

The lowest rate of mortality was recorded in Perth, viz., 17·0 per thousand; and the highest in Greenock, viz., 27·8 per thousand.

From the seven principal Epidemic diseases 77 deaths were recorded, being at the rate of 2·4 per thousand, or 0·5 above that for last week. Of these deaths 33 were due to Hooping-cough, of which 26 occurred in Glasgow; 14 to Diarrheal diseases; 13 to Diphtheria, which was relatively most fatal in Perth; and 10 to Measles, of which 8 occurred in Aberdeen.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 154, being 37 below the number for the previous week.

The Mean Temperature was 37°·1, being 8°·7 below that for the week immediately preceding, and 5°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 3, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Proximity in Yards.	Registered during the Week ending Jan. 3, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,702,912	38·531	12·04	908	707	994	52·8	22·0	37·1	1·38
GLASGOW, . . .	12,681	786,897	62·053	9·49	459	352	547	52·8	25·2	38·6	1·63
EDINBURGH, . .	11,416	327,441	28·683	13·96	123	118	144	49·6	27·6	37·0	0·39
DUNDEE, . . .	4,162	162,805	39·117	11·95	80	70	91	49·2	24·5	35·9	0·57
ABERDEEN, . .	6,795	160,780	23·662	15·37	100	56	114	42·0	23·6	35·5	1·27
PAISLEY, . . .	3,538	82,608	23·349	15·47	46	34	13	48·2	28·0	38·5	2·02
LEITH, . . . .	2,042	79,552	38·958	11·98	42	29	28	51·3	29·4	38·9	0·57
GREENOCK, . .	1,440	69,252	48·092	10·78	48	37	31	43·5	26·0	36·4	3·33
PERTH, . . . .	2,122	33,577	15·823	18·79	10	11	26	49·5	22·0	35·8	1·29
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	860	750	1140	53·7	27·2	42·3	1·24

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JANUARY 3, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 3, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·6	2·4	707	144	168	0	10	3	13	33	4	14	4	154	30	164	39
GLASGOW, .	23·3	2·6	352	80	65	0	0	2	4	26	1	7	3	89	13	74	22
EDINBURGH,	18·7	1·7	118	20	38	0	1	0	4	4	0	2	0	22	1	37	8
DUNDEE, . .	22·4	1·3	70	16	19	0	0	0	2	2	0	0	0	13	4	14	1
ABERDEEN, .	18·1	2·9	56	9	24	0	8	0	0	0	0	1	0	12	0	11	1
PAISLEY, . .	21·4	1·9	34	5	4	0	0	0	0	0	1	2	1	6	0	3	3
LEITH, . . .	19·0	2·6	29	9	6	0	1	0	0	1	0	2	0	5	2	8	1
GREENOCK, .	27·8	3·0	37	4	9	0	0	1	1	0	2	0	0	6	7	12	3
PERTH, . . .	17·0	3·1	11	1	3	0	0	0	2	0	0	0	0	1	3	5	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 4, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23·2	2·2	750	144	208	0	30	4	5	12	7	12	0	182	40	178	41
GLASGOW, .	23·8	3·0	355	57	92	0	24	2	0	10	5	4	0	95	20	81	29
EDINBURGH,	23·0	0·3	143	20	51	0	0	0	2	0	0	0	0	33	7	45	4
DUNDEE, . .	23·1	2·9	72	18	21	0	3	0	2	0	0	4	0	16	4	12	1
ABERDEEN, .	23·1	0·7	70	21	22	0	0	0	0	1	0	1	0	20	4	16	1
PAISLEY, . .	23·1	4·5	36	8	10	0	1	0	1	1	2	2	0	4	1	10	3
LEITH, . . .	14·6	0·0	22	5	8	0	0	0	0	0	0	0	0	5	2	5	2
GREENOCK, .	27·2	3·8	36	12	3	0	2	2	0	0	0	1	0	3	0	5	1
PERTH, . . .	25·0	0·0	16	3	1	0	0	0	0	0	0	0	0	6	2	4	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 10, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 10, 1903, was 740, which represents an annual mortality rate of 22·6 per thousand of the estimated population. This rate is 3·0 above that for the corresponding week of last year, and 1·0 above that for the previous week of the present year.

The lowest death-rate was recorded in Perth, viz., 17·0 per thousand; and the highest in Glasgow, viz., 24·4 per thousand.

The seven principal Epidemic diseases accounted for 78 deaths, being at the rate of 2·4 per thousand of population, the same as that for the previous week. Of these deaths 24 were due to Hooping-cough, of which 17 occurred in Glasgow; 22 to Diarrhoeal diseases; and 15 to Measles, of which 10 occurred in Aberdeen.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 150, being 4 less than the number for the previous week.

The Mean Temperature was 37°·1, being the same as that for the week immediately preceding, but 6°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 10, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Proximity in Yards.	Registered during the Week ending Jan. 10, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,702,912	38·531	12·04	1019	740	664	48·9	28·0	37·1	2·02
GLASGOW, . . .	12,681	786,897	62·053	9·49	510	370	288	48·9	28·0	37·3	0·92
EDINBURGH, . .	11,416	327,441	28·683	13·96	146	121	76	46·6	29·6	37·5	2·27
DUNDEE, . . .	4,162	162,805	39·117	11·95	98	73	131	43·9	29·0	36·6	2·10
ABERDEEN, . .	6,795	160,780	23·662	15·37	91	72	35	45·0	28·0	35·5	1·94
PAISLEY, . . .	3,538	82,608	23·349	15·47	53	33	73	46·2	30·0	38·1	2·23
LEITH, . . . .	2,042	79,552	38·958	11·98	67	37	33	45·7	31·6	38·7	2·67
GREENOCK, . .	1,440	69,252	48·092	10·78	38	23	17	46·2	28·9	37·6	2·11
PERTH, . . . .	2,122	33,577	15·823	18·79	16	11	11	45·0	28·0	35·6	1·95
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	1012	633	320	53·0	26·0	43·3	0·24

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	* The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of			Deaths from											
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·6	2·4	740	153	215	0	15	3	7	24	7	22	2	150	33	145	31	4
GLASGOW, .	24·4	2·7	370	85	84	0		1	3	17	4	14	1	74	17	78	18	3
EDINBURGH,	19·2	1·4	121	16	43	0	2	0	2	2	1	2	1	29	7	25	8	1
DUNDEE, . .	23·3	1·6	73	16	25	0	0	0	2	2	0	1	0	13	5	10	3	0
ABERDEEN, .	23·3	4·2	72	20	29	0	10	0	0	1	0	2	0	16	2	10	1	0
PAISLEY, . .	20·8	2·5	33	8	12	0	0	2	0	0	1	1	0	6	1	8	0	0
LEITH, . . .	24·2	1·3	37	5	10	0	1	0	0	1	0	0	0	9	1	9	1	0
GREENOCK, .	17·3	3·0	23	3	5	0	0	0	0	1	1	2	0	1	0	4	0	0
PERTH, . . .	17·0	0·0	11	0	7	0	0	0	0	0	0	0	0	2	0	1	0	0

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19.6	1.7	633	119	163	0	23	2	4	5	3	19	0	142	27	148	28	3		
GLASGOW, .	20.5	2.3	306	59	60	0	19	0	1	2	2	11	0	74	15	70	16	3		
EDINBURGH,	19.6	0.6	122	25	38	0	0	0	1	2	0	1	0	24	3	31	3	0		
DUNDEE, . .	19.2	1.9	60	14	18	0	4	0	1	0	0	1	0	14	1	15	1	0		
ABERDEEN, .	19.1	1.0	58	9	23	0	0	0	0	0	0	3	0	11	2	14	2	0		
PAISLEY, . .	16.0	1.3	25	1	6	0	0	0	0	0	0	2	0	5	2	3	2	0		
LEITH, . . .	17.2	0.7	26	3	10	0	0	0	0	1	0	0	0	8	1	9	0	0		
GREENOCK, .	21.9	3.8	29	8	3	0	0	2	1	0	1	1	0	5	3	4	4	0		
PERTH, . . .	10.9	0.0	7	0	5	0	0	0	0	0	0	0	0	1	0	2	0	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

## SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 17, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 17, 1903, was 766, which is equivalent to an annual mortality rate of 23·4 per thousand of the estimated population. This rate is 2·6 above that for the corresponding week of last year, and 0·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh, viz., 17·8 per thousand; and the highest in Aberdeen, viz., 29·8 per thousand.

The seven principal Epidemic diseases accounted for 76 deaths, being at the rate of 2·3 per thousand of population, or 0·1 below that for last week. Of these deaths 32 were due to Hooping-cough, of which 23 occurred in Glasgow and 3 in Leith; 18 to Diarrhœal diseases; 12 to Measles, of which 5 occurred in Edinburgh and Aberdeen respectively, and 2 in Leith; and 6 to Diphtheria, of which 5 occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 174, being 24 above the number for the previous week.

The Mean Temperature was 28°·3, being 8·8 below that for the week immediately preceding, and 8°·3 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 17, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Jan. 17, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,702,912	38·531	12·04	946	766	185	40·0	11·0	28·3	0·00
GLASGOW, . . .	12,681	786,897	62·053	9·49	479	383	96	37·4	15·0	25·7	0·00
EDINBURGH, . .	11,416	327,441	28·683	13·96	159	112	46	34·6	21·6	28·6	0·00
DUNDEE, . . .	4,162	162,805	39·117	11·95	83	62	13	37·9	16·9	28·8	0·00
ABERDEEN, . .	6,795	160,780	23·662	15·37	76	92	12	40·0	17·0	32·5	0·02
PAISLEY, . . .	3,538	82,608	23·349	15·47	47	35	2	36·0	16·4	27·4	0·01
LEITH, . . . .	2,042	79,552	38·958	11·98	38	36	9	35·2	22·1	29·8	0·00
GREENOCK, . .	1,440	69,252	48·092	10·78	50	31	4	38·5	20·0	28·4	0·00
PERTH, . . . .	2,122	33,577	15·823	18·79	14	15	3	38·0	11·0	25·5	0·00
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	917	673	146	56·0	14·0	36·6	0·09

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JANUARY 17, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 17, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·4	2·3	766	139	198	0	12	5	6	32	3	18	0	174	27	171	27	4
GLASGOW, .	25·3	2·5	383	79	90	0	0	2	5	23	2	6	0	84	14	81	17	3
EDINBURGH,	17·8	1·9	112	14	36	0	5	1	0	3	1	2	0	22	2	34	3	0
DUNDEE, . .	19·8	1·3	62	13	14	0	0	0	0	0	0	4	0	16	0	13	0	0
ABERDEEN, .	29·8	2·2	92	16	24	0	5	0	1	2	0	2	0	25	3	15	2	0
PAISLEY, . .	22·0	1·3	35	5	11	0	0	1	0	0	0	1	0	5	3	15	2	0
LEITH, . . .	23·5	3·9	36	7	9	0	2	0	0	3	0	1	0	11	0	3	1	1
GREENOCK, .	23·3	2·3	31	3	8	0	0	1	0	0	0	2	0	10	5	5	2	0
PERTH, . . .	23·2	1·5	15	2	6	0	0	0	0	1	0	0	0	1	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 18, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·8	2·0	673	145	159	1	23	6	6	11	4	13	1	175	18	162	18	4
GLASGOW, .	23·5	2·7	351	81	73	*1	20	1	1	9	2	6	1	98	9	85	12	4
EDINBURGH,	17·1	1·0	106	23	33	0	0	0	2	0	1	3	0	27	2	30	3	0
DUNDEE, . .	18·3	2·9	57	16	10	0	2	1	2	0	0	4	0	13	3	11	1	0
ABERDEEN, .	19·5	0·3	59	8	15	0	0	0	0	1	0	0	0	16	0	10	0	0
PAISLEY, . .	23·1	1·3	36	5	10	0	0	1	0	0	1	0	0	12	1	6	2	0
LEITH, . . .	19·2	1·3	29	6	8	0	0	0	1	1	0	0	0	3	1	12	0	0
GREENOCK, .	19·7	3·0	26	4	9	0	1	3	0	0	0	0	0	3	0	6	0	0
PERTH, . . .	14·1	0·0	9	2	1	0	0	0	0	0	0	0	0	3	2	2	0	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 4.      WEEK ENDING SATURDAY, JANUARY 24, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending Saturday, January 24, 1903, was 804, being at the annual rate of 24·6 per thousand of the estimated population. This rate is 4·3 above that for the corresponding week of last year, and 1·2 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·8 per thousand; and the highest in Glasgow, viz., 27·1 per thousand.

From the seven principal Epidemic diseases 102 deaths were registered, being at the rate of 3·1 per thousand of population, or 0·8 above that for last week. Of these deaths 52 were due to Hooping-cough, of which 41 occurred in Glasgow; 21 to Diarrhoeal diseases; and 11 to Measles, of which 6 occurred in Aberdeen, and 4 in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 181, being 7 above the number for the previous week.

The Mean Temperature was 37°·9, being 9°·6 above that for the week immediately preceding, but 4°·5 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 24, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Jan. 24, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,702,912	38·531	12·04	955	804	149	48·8	22·8	37·9	0·99
GLASGOW, . . .	12,681	786,897	62·053	9·49	457	410	64	48·8	27·6	38·0	0·79
EDINBURGH, . .	11,416	327,441	28·683	13·96	164	135	36	46·3	22·8	37·4	0·41
DUNDEE, . . .	4,162	162,805	39·117	11·95	97	75	8	45·4	32·4	37·3	0·27
ABERDEEN, . .	6,795	160,780	23·662	15·37	81	69	21	46·0	31·5	39·6	0·48
PAISLEY, . . .	3,538	82,608	23·349	15·47	54	41	2	46·3	29·9	38·0	2·20
LEITH, . . . .	2,042	79,552	38·958	11·98	52	38	9	47·7	31·3	39·2	0·27
GREENOCK, . .	1,440	69,252	48·092	10·78	34	29	6	47·2	28·5	37·5	3·26
PERTH, . . . .	2,122	33,577	15·823	18·79	16	7	3	44·0	32·0	36·5	0·26
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	899	656	134	51·2	25·0	42·4	0·98

# Week ending Saturday, JANUARY 24, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 24, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24.6	3.1	804	154	218	0	11	5	5	52	8	21	2	181	26	193	27	3
GLASGOW, .	27.1	4.2	410	80	89	0	0	2	3	41	8	10	1	94	14	111	18	3
EDINBURGH,	21.4	1.6	135	25	48	0	4	0	1	5	0	0	0	22	1	33	7	0
DUNDEE, . .	24.0	2.2	75	16	21	0	0	0	0	2	0	5	1	17	7	16	0	0
ABERDEEN, .	22.3	.6	69	9	27	0	6	0	1	2	0	2	0	18	1	14	0	0
PAISLEY, . .	25.8	1.9	41	7	17	0	0	2	0	0	0	1	0	10	1	7	0	0
LEITH, . . .	24.8	2.0	38	10	9	0	1	0	0	1	0	1	0	11	1	7	2	0
GREENOCK, .	21.8	2.3	29	6	6	0	0	1	0	1	0	1	0	8	1	4	0	0
PERTH, . . .	10.8	1.5	7	1	1	0	0	0	0	0	0	1	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 25, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.3	2.4	656	107	180	2	31	4	5	13	3	20	1	127	27	152	15	1
GLASGOW, .	22.1	3.6	329	55	73	*2	23	1	1	10	3	13	0	63	21	79	9	1
EDINBURGH,	18.8	1.1	117	18	46	0	1	0	1	1	0	4	0	23	2	31	2	0
DUNDEE, . .	20.5	2.6	64	15	14	0	6	0	0	1	0	1	0	19	1	9	0	0
ABERDEEN, .	20.5	1.7	62	10	23	0	0	0	3	1	0	1	1	10	1	13	0	0
PAISLEY, . .	18.6	0.0	29	5	8	0	0	0	0	0	0	0	0	2	0	4	2	0
LEITH, . . .	11.2	0.0	17	3	4	0	0	0	0	0	0	0	0	5	1	6	1	0
GREENOCK, .	18.2	3.0	24	0	8	0	1	2	0	0	0	1	0	4	0	4	0	0
PERTH, . . .	21.9	1.6	14	1	4	0	0	1	0	0	0	0	0	1	1	6	1	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, JANUARY 31, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 31, 1903, was 696, being at the annual rate of 21·3 per thousand of the estimated population. This rate is 0·5 below that for the corresponding week of last year, and 3·3 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 12·4 per thousand; and the highest in Greenock, viz., 24·8 per thousand.

The seven principal Epidemic diseases accounted for 81 deaths, being at the rate of 2·5 per thousand of the estimated population, or 0·6 below that for last week. Of these deaths 32 were due to Hooping-cough, of which 27 occurred in Glasgow; 20 to Measles, of which 14 occurred in Aberdeen; and 13 to the Diarrhoeal diseases.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 168, being 13 less than the number for the previous week.

The Mean Temperature was 45°·2, being 7°·3 above that for the week immediately preceding, and 17°·4 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 31, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Jan. 31, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,702,912	38·531	12·04	930	696	155	54·7	35·0	45·2	1·77
GLASGOW, . . .	12,681	786,897	62·053	9·49	452	342	82	53·5	39·2	45·8	1·40
EDINBURGH, . .	11,416	327,441	28·683	13·96	156	112	30	53·5	38·5	45·2	1·04
DUNDEE, . . .	4,162	162,805	39·117	11·95	87	69	8	51·1	36·1	44·5	1·23
ABERDEEN, . .	6,795	160,780	23·662	15·37	87	71	19	53·0	35·0	44·1	1·20
PAISLEY, . . .	3,538	82,608	23·349	15·47	53	30	3	52·9	40·0	46·0	3·43
LEITH, . . . .	2,042	79,552	38·958	11·98	52	31	2	54·7	40·1	46·6	0·64
GREENOCK, . .	1,440	69,252	48·092	10·78	32	33	5	51·5	38·0	44·8	3·65
PERTH, . . . .	2,122	33,577	15·823	18·79	11	8	6	53·5	37·0	44·5	1·60
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	869	704	165	39·8	7·0	27·8	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JANUARY 31, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 31, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.3	2.5	696	135	186	0	20	4	7	32	5	13	5	168	20	171	30	4
GLASGOW, .	22.6	2.9	342	75	76	0	2	2	4	27	3	6	4	90	13	86	13	4
EDINBURGH,	17.8	1.4	112	17	40	0	2	0	1	4	1	1	0	23	2	32	11	0
DUNDEE, . .	22.0	1.3	69	13	21	0	0	0	1	1	0	2	0	17	1	14	0	0
ABERDEEN, .	23.0	5.8	71	13	19	0	14	1	0	0	0	3	1	9	1	17	4	0
PAISLEY, . .	18.9	0.6	30	2	10	0	0	1	0	0	0	0	0	14	0	12	1	0
LEITH, . . .	20.3	2.6	31	8	11	0	2	0	1	0	0	1	0	8	0	4	0	0
GREENOCK, .	24.8	0.8	33	6	7	0	0	0	0	0	1	0	0	6	1	3	1	0
PERTH, . . .	12.4	0.0	8	1	2	0	0	0	0	0	0	0	0	1	2	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 1, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																	
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from													Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.						
In Eight Towns,	21.8	2.0	704	121	190	1	23	7	5	19	3	8	3	138	26	175	37	4			
GLASGOW, .	23.2	2.7	346	64	79	1	16	5	2	12	2	2	1	78	16	94	20	4			
EDINBURGH,	19.2	0.3	119	12	40	0	0	0	1	0	0	1	0	15	2	29	9	0			
DUNDEE, . .	22.1	2.6	69	12	14	0	5	0	0	1	0	2	1	14	3	11	3	0			
ABERDEEN, .	23.1	2.0	70	12	29	0	0	0	1	4	0	1	1	14	3	17	1	0			
PAISLEY, . .	18.6	1.9	29	7	7	0	1	0	0	0	1	1	0	6	0	6	1	0			
LEITH, . . .	22.5	2.0	34	9	12	0	0	0	0	2	0	1	0	6	0	8	0	0			
GREENOCK, .	22.7	2.3	30	3	7	0	1	2	0	0	0	0	0	4	2	7	3	0			
PERTH, . . .	10.9	1.6	7	2	2	0	0	0	1	0	0	0	0	1	0	3	0	0			

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6.      WEEK ENDING SATURDAY, FEBRUARY 7, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 7, 1903, was 711, being at the annual rate of 21·7 per thousand of the estimated population. This rate is 2·2 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 13·9 per thousand; and the highest in Greenock, viz., 27·0 per thousand.

The seven principal Epidemic diseases accounted for 82 deaths, being at the rate of 2·5 per thousand of the estimated population, the same as that for last week. Of these deaths 28 were due to Hooping-cough, of which 22 occurred in Glasgow; 19 to Diarrheal diseases; and 16 to Measles, of which 9 occurred in Aberdeen.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 133, being 35 less than the number for the previous week.

The Mean Temperature was 43°·7, being 1°·5 below that for the week immediately preceding, but 9°·5 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 7, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Proximity in Yards.	Registered during the Week ending Feb. 7, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,702,912	38·531	12·04	961	711	182	56·6	31·3	43·7	1·24
GLASGOW, . . .	12,681	786,897	62·053	9·49	472	357	80	56·6	33·5	45·5	0·19
EDINBURGH, . .	11,416	327,441	28·683	13·96	130	116	43	53·3	31·3	43·1	1·02
DUNDEE, . . .	4,162	162,805	39·117	11·95	111	57	13	51·7	32·2	42·5	0·68
ABERDEEN, . .	6,795	160,780	23·662	15·37	96	67	21	54·5	32·8	42·4	0·28
PAISLEY, . . .	3,538	82,608	23·349	15·47	44	31	8	53·8	33·3	44·2	2·71
LEITH, . . . .	2,042	79,552	38·958	11·98	49	38	7	54·6	33·1	45·1	0·57
GREENOCK, . .	1,440	69,252	48·092	10·78	46	36	7	51·0	33·0	43·4	3·74
PERTH, . . . .	2,122	33,577	15·823	18·79	13	9	3	52·5	32·0	43·2	0·74
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	922	771	213	43·1	21·0	34·2	0·12

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, FEBRUARY 7, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 7, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·7	2·5	711	142	208	*2	16	4	7	28	6	19	1	133	28	163	21	4
GLASGOW, .	23·6	3·0	357	74	86	*1	2	3	7	22	5	6	1	67	10	80	11	4
EDINBURGH,	18·4	0·8	116	21	44	0	2	0	0	1	0	2	0	22	5	34	7	0
DUNDEE, . .	18·2	2·2	57	16	15	0	0	0	0	2	0	5	0	9	0	14	0	0
ABERDEEN, .	21·7	4·2	67	10	29	0	9	1	0	0	0	3	0	14	4	19	1	0
PAISLEY, . .	19·5	1·	31	8	15	*1	0	0	0	0	0	1	0	9	0	5	0	0
LEITH, . . .	24·8	3·3	38	7	9	0	3	0	0	2	0	0	0	6	0	6	2	0
GREENOCK, .	27·0	3·0	36	6	5	0	0	0	0	1	1	2	0	5	9	3	0	0
PERTH, . . .	13·9	0·0	9	0	5	0	0	0	0	0	0	0	0	1	0	2	0	0

\* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 8, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.
In Eight Towns,	23·9	2·6	771	150	213	1	19	10	8	17	5	23	2	171	29	170	21	1
GLASGOW, .	23·9	3·2	357	78	78	1	16	5	4	10	2	9	2	90	13	69	7	1
EDINBURGH,	24·3	1·1	151	25	44	0	0	0	1	0	2	4	0	28	5	44	7	0
DUNDEE, . .	23·1	1·9	72	14	20	0	1	0	0	0	0	5	0	16	5	16	1	0
ABERDEEN, .	24·1	3·0	73	14	36	0	0	2	2	2	0	3	0	14	3	17	0	0
PAISLEY, . .	23·7	3·2	37	4	16	0	0	1	0	4	0	0	0	12	1	10	2	0
LEITH, . . .	20·5	1·3	31	6	7	0	0	0	0	1	0	1	0	3	0	4	1	0
GREENOCK, .	26·5	3·8	35	7	7	0	2	2	0	0	1	0	0	8	1	7	3	0
PERTH, . . .	23·4	3·1	15	2	5	0	0	0	1	0	0	1	0	0	1	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 7.                      WEEK ENDING SATURDAY, FEBRUARY 14, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 14, 1903, was 594, representing an annual mortality rate of 18·1 per thousand of the estimated population. This rate is 5·5 below that for the corresponding week of last year, and 3·6 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·8 per thousand; and the highest in Aberdeen, viz., 22·3 per thousand.

From the seven principal Epidemic diseases 85 deaths were registered, being at the rate of 2·6 per thousand of population, or 0·1 above that for last week. Of these deaths 32 were due to Hooping-cough, of which 22 occurred in Glasgow; 16 to Diarrhœa; 15 to Measles, of which 11 occurred in Aberdeen; and 11 to Enteric Fever, 10 of which were in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 109, being 24 less than the number for the previous week.

The Mean Temperature was 44°·4, being 0°·7 above that for the week immediately preceding, and 13°·9 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 14, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Feb. 14, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	904	594	191	56·2	27·0	44·4	2·05
GLASGOW, . . .	12,681	786,897	62·053	9·49	479	278	111	53·8	39·4	47·0	2·54
EDINBURGH, . .	11,416	327,441	28·683	13·96	142	94	36	54·0	31·5	43·8	1·51
DUNDEE, . . .	4,162	162,805	39·117	11·95	73	57	20	53·5	29·5	42·5	1·36
ABERDEEN, . .	6,795	160,780	23·662	15·37	84	69	14	56·2	31·0	42·3	1·27
PAISLEY, . . .	3,538	82,608	23·349	15·47	46	30	2	53·8	35·1	46·5	2·92
LEITH, . . . .	2,044	79,552	38·920	11·98	37	34	3	54·7	33·1	45·5	2·04
GREENOCK, . .	1,440	69,252	48·092	10·78	28	25	3	54·0	35·0	45·1	3·08
PÉRTH, . . . .	2,122	33,577	15·823	18·79	15	7	2	56·0	27·0	42·5	1·71
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	908	761	209	44·1	13·0	30·5	0·06

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue.  
and sold by OLIVER & BOYD, Edinburgh.

## Week ending Saturday, FEBRUARY 14, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 14, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
				Deaths of		Deaths from														
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.		
In Eight Towns,	18.1	2.6	594	135	137	0	15	8	3	32	11	16	3	109	27	147	21	2		
GLASGOW, .	18.4	3.1	278	60	53	0	2	4	1	22	10	8	0	56	12	69	7	1		
EDINBURGH,	14.9	1.3	94	16	28	0	2	1	1	3	0	1	1	10	4	25	8	1		
DUNDEE, . .	18.2	1.6	57	14	19	0	0	0	0	2	0	3	0	14	2	18	0	0		
ABERDEEN, .	22.3	4.5	69	21	15	0	11	0	0	1	1	1	1	8	1	12	3	0		
PAISLEY, . .	18.9	1.9	30	6	9	0	0	2	0	1	0	0	0	4	1	9	1	0		
LEITH, . . .	22.2	2.0	34	8	7	0	0	0	0	2	0	1	0	10	3	8	0	0		
GREENOCK, .	18.8	3.8	25	9	3	0	0	1	1	1	0	2	1	6	4	5	2	0		
PERTH, . . .	10.8	0.0	7	1	3	0	0	0	0	0	0	0	0	1	0	1	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 15, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epl- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.	
In Eight Towns,	23.6	2.0	761	120	238	2	12	3	3	20	10	16	1	210	21	180	26	3	
GLASGOW, .	25.2	2.2	376	60	104	2	8	1	2	10	5	5	1	128	10	94	15	3	
EDINBURGH,	23.2	1.1	144	16	53	0	1	0	0	1	3	2	0	30	4	42	8	0	
DUNDEE, . .	21.8	2.9	68	12	22	0	2	0	0	1	0	6	0	13	4	6	0	0	
ABERDEEN, .	19.5	0.7	59	5	28	0	0	0	1	1	0	0	0	11	1	20	0	0	
PAISLEY, . .	22.4	2.6	35	9	9	0	0	0	0	3	0	1	0	7	0	5	3	0	
LEITH, . . .	25.1	2.6	38	7	14	0	0	0	0	3	0	1	0	10	2	5	0	0	
GREENOCK, .	25.0	5.3	33	10	3	0	1	2	0	1	2	1	0	7	0	6	0	0	
PERTH, . . .	12.5	0.0	8	1	5	0	0	0	0	0	0	0	0	4	0	2	0	0	

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 21, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 21, 1903, was 592, being equivalent to an annual mortality rate of 18·1 per thousand of the estimated population. This rate is 7·2 below that for the corresponding week of last year, and is the same as that for the previous week of the present year.

The lowest rate of mortality was recorded in Greenock, viz., 11·3 per thousand; and the highest in Perth, viz., 24·8 per thousand.

The seven principal Epidemic diseases accounted for 76 deaths, being at the rate of 2·3 per thousand of population, or 0·3 below that for last week. Of these deaths 26 were due to Hooping-cough, of which 20 occurred in Glasgow; 18 to Diarrhoeal diseases; and 12 to Measles, of which 10 were in Aberdeen.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 108, being 1 less than the number for the previous week.

The Mean Temperature was 44°·3, being 0°·1 below that for the week immediately preceding, but 8°·7 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 21, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Feb. 21, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	918	592	176	57·5	30·2	44·3	0·62
GLASGOW, . . .	12,681	786,897	62·053	9·49	448	297	82	55·6	35·9	45·6	0·54
EDINBURGH, . .	11,416	327,441	28·683	13·96	140	83	33	54·5	36·2	44·9	0·73
DUNDEE, . . .	4,162	162,805	39·117	11·95	94	67	13	54·1	35·6	44·1	0·32
ABERDEEN, . . .	6,795	160,780	23·662	15·37	107	70	21	57·5	30·2	42·9	0·03
PAISLEY, . . .	3,538	82,608	23·349	15·47	44	25	9	54·2	38·3	45·6	1·11
LEITH, . . . .	2,044	79,552	38·920	11·98	39	19	6	56·7	38·0	46·0	0·45
GREENOCK, . . .	1,440	69,252	48·092	10·78	32	15	8	53·7	38·0	40·9	1·38
PERTH, . . . .	2,122	33,577	15·823	18·79	14	16	4	56·5	35·0	44·8	0·44
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	889	817	159	44·8	15·0	35·6	0·18

# Week ending Saturday, FEBRUARY 21, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 21, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	18.1	2.3	592	123	138	0	12	7	5	26	8	18	1	108	27	153	23
GLASGOW, .	19.6	2.6	297	62	57	0	0	3	1	20	7	8	0	62	14	86	15
EDINBURGH,	13.2	1.3	83	13	19	0	2	1	2	0	0	3	1	13	3	30	6
DUNDEE, . .	21.4	2.6	67	14	18	0	0	1	0	2	0	5	0	12	4	10	0
ABERDEEN, .	22.6	4.2	70	22	20	0	10	0	2	1	0	0	0	7	2	14	0
PAISLEY, . .	15.7	3.1	25	5	4	0	0	2	0	2	1	0	0	7	0	5	1
LEITH, . . .	12.4	1.3	19	3	6	0	0	0	0	1	0	1	0	5	0	2	0
GREENOCK, .	11.3	0.8	15	4	6	0	0	0	0	0	0	1	0	1	1	1	0
PERTH, . . .	24.8	0.0	16	0	8	0	0	0	0	0	0	0	0	1	3	5	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 22, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	25.3	2.5	817	155	225	7	17	3	6	20	6	22	3	221	30	191	21
GLASGOW, .	25.9	3.1	386	73	89	6	7	1	1	15	4	12	1	121	13	92	6
EDINBURGH,	22.1	1.0	137	18	65	0	1	1	0	0	1	3	0	34	4	33	6
DUNDEE, . .	24.1	3.2	75	21	14	0	3	0	1	1	0	5	0	16	4	15	0
ABERDEEN, .	23.8	1.3	72	17	23	0	0	0	0	4	0	0	1	13	1	12	1
PAISLEY, . .	23.7	1.9	37	7	10	0	2	0	0	0	0	1	0	10	0	4	4
LEITH, . . .	28.4	0.7	43	11	10	0	0	0	0	0	0	1	0	9	4	13	0
GREENOCK, .	37.1	6.8	49	8	5	0	4	1	3	0	1	0	1	13	4	15	4
PERTH, . . .	28.1	3.1	18	0	9	1	0	0	1	0	0	0	0	5	0	7	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 9.      WEEK ENDING SATURDAY, FEBRUARY 28, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 28, 1903, was 581, being equivalent to an annual mortality rate of 17·7 per thousand of the estimated population. This rate is 4·9 below that for the corresponding week of last year, and 0·4 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 9·3 per thousand; and the highest in Aberdeen, viz., 22·0 per thousand.

The seven principal Epidemic diseases accounted for 59 deaths, being at the rate of 1·8 per thousand of population, or 0·5 below that for last week. Of these deaths 23 were due to Hooping-cough, of which 16 occurred in Glasgow; 13 to Diarrhoeal diseases; and 9 to Measles, of which 4 occurred in Aberdeen, and the same number in Leith.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being 16 less than the number for the previous week.

The Mean Temperature was 40°·4, being 3°·9 below that for the week immediately preceding, and 0°·1 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 28, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Feb. 28, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	927	581	227	52·7	28·0	40·4	1·67
GLASGOW, . . .	12,681	786,897	62·053	9·49	444	284	120	52·5	32·8	42·5	1·77
EDINBURGH, . .	11,416	327,441	28·683	13·96	164	107	45	51·1	32·7	39·7	0·72
DUNDEE, . . .	4,162	162,805	39·117	11·95	88	58	16	47·3	30·7	39·4	0·97
ABERDEEN, . .	6,795	160,780	23·662	15·37	102	68	16	46·0	31·0	39·6	0·68
PAISLEY, . . .	3,538	82,608	23·349	15·47	49	21	10	51·2	33·0	40·8	2·49
LEITH, . . . .	2,044	79,552	38·920	11·98	32	16	7	52·7	33·6	41·6	1·02
GREENOCK, . .	1,440	69,252	48·092	10·78	35	21	9	50·8	32·0	40·2	3·90
PERTH, . . . .	2,122	33,577	15·823	18·79	13	6	4	49·0	28·0	39·1	1·78
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	928	729	167	59·4	30·9	40·5	0·84

# Week ending Saturday, FEBRUARY 28, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 28, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.7	1.8	581	129	124	1	9	5	6	23	2	13	0	92	18	136	20	1
GLASGOW, .	18.8	1.9	284	66	50	1	0	1	2	16	2	6	0	51	9	70	7	1
EDINBURGH,	17.0	1.1	107	19	33	0	1	1	1	3	0	1	0	15	2	30	8	0
DUNDEE, . .	18.5	1.6	58	17	15	0	0	0	0	2	0	3	0	7	4	12	0	0
ABERDEEN, .	22.0	3.2	68	15	11	0	4	1	2	1	0	2	0	12	0	8	2	0
PAISLEY, . .	13.2	1.3	21	5	6	0	0	2	0	0	0	0	0	4	0	8	2	0
LEITH, . . .	10.5	3.9	16	3	2	0	4	0	1	1	0	0	0	0	2	2	0	0
GREENOCK, .	15.8	0.8	21	2	6	0	0	0	0	0	0	1	0	2	1	5	1	0
PERTH, . . .	9.3	0.0	6	2	1	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 1, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.6	2.3	729	116	205	10	19	4	1	23	5	13	4	210	21	185	24	2
GLASGOW, .	24.0	2.3	358	57	101	10	6	4	0	7	2	5	2	121	6	89	13	2
EDINBURGH,	20.3	1.6	126	11	35	0	3	0	1	5	1	0	1	23	8	40	5	0
DUNDEE, . .	26.3	3.8	82	15	17	0	6	0	0	1	1	4	1	19	2	18	1	0
ABERDEEN, .	18.5	3.0	56	18	18	0	0	0	0	7	0	2	0	14	1	12	1	0
PAISLEY, . .	17.3	3.8	27	4	8	0	1	0	0	3	0	2	0	8	1	6	1	0
LEITH, . . .	23.1	0.0	35	6	10	0	0	0	0	0	0	0	0	10	2	8	1	0
GREENOCK, .	24.2	2.3	32	4	10	0	2	0	0	0	1	0	0	10	1	10	2	0
PERTH, . . .	20.3	1.6	13	1	6	0	1	0	0	0	0	0	0	5	0	2	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 10.

WEEK ENDING SATURDAY, MARCH 7, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 7, 1903, was 606, being at the annual rate of 18·5 per thousand of the estimated population. This rate is 6·9 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Paisley, viz., 13·2 per thousand; and the highest in Edinburgh, viz., 22·1 per thousand.

The seven principal Epidemic diseases accounted for 75 deaths, being at the rate of 2·3 per thousand of population, or 0·5 above that for last week. Of these deaths 32 were due to Hooping-cough, of which 18 occurred in Glasgow, 5 in Dundee, and 4 in Leith; 21 to Diarrhoeal diseases; and 15 to Measles, of which 7 occurred in Aberdeen.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 94, being 2 more than the number for the previous week.

The Mean Temperature was 37°·9, being 2°·5 below that for the week immediately preceding, and 7°·4 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 7, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Mar. 7, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	946	606	236	50·7	27·8	37·9	0·82
GLASGOW, . . .	12,681	786,897	62·053	9·49	471	254	102	48·5	31·0	39·4	0·71
EDINBURGH, . .	11,416	327,441	28·683	13·96	147	139	56	45·5	31·0	37·5	0·57
DUNDEE, . . .	4,162	162,805	39·117	11·95	90	67	20	46·3	28·2	36·7	0·33
ABERDEEN, . .	6,795	160,780	23·662	15·37	86	62	25	46·5	27·8	37·4	0·13
PAISLEY, . . .	3,538	82,608	23·349	15·47	43	21	14	50·7	32·1	39·3	1·20
LEITH, . . . .	2,044	79,552	38·920	11·98	43	27	9	47·7	33·0	39·0	0·71
GREENOCK, . .	1,440	69,252	48·092	10·78	48	24	7	46·9	32·0	38·0	2·27
PERTH, . . . .	2,122	33,577	15·823	18·79	18	12	3	46·5	28·0	36·3	0·63
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1003	820	250	59·0	30·0	45·3	0·36

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1903 37/1123

[TURN OVER.]

# Week ending Saturday, MARCH 7, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 7, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.5	2.3	606	125	142	0	15	4	1	32	2	21	3	94	28	117	35	2
GLASGOW, .	16.8	2.2	254	54	46	0	3	2	0	18	1	10	2	40	14	52	14	1
EDINBURGH,	22.1	2.1	139	22	39	0	3	2	0	4	0	4	0	17	4	35	14	0
DUNDEE, . .	21.4	2.2	67	13	24	0	0	0	1	5	0	1	0	8	3	13	2	0
ABERDEEN, .	20.1	2.9	62	16	14	0	7	0	0	0	0	2	1	11	4	7	1	1
PAISLEY, . .	13.2	3.8	21	4	6	0	0	0	0	1	1	4	0	6	0	2	0	0
LEITH, . . .	17.6	3.9	27	7	6	0	2	0	0	4	0	0	0	5	2	6	1	0
GREENOCK, .	18.0	0.0	24	5	4	0	0	0	0	0	0	0	0	5	1	1	1	0
PERTH, . . .	18.6	0.0	12	4	3	0	0	0	0	0	0	0	0	2	0	1	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 8, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	25.4	2.1	820	152	225	2	14	7	7	20	2	17	1	229	40	189	48	4
GLASGOW, .	25.6	2.3	382	76	86	2	9	4	1	8	2	9	1	102	10	94	15	3
EDINBURGH,	26.9	1.6	167	24	50	0	1	1	0	3	0	5	0	43	*23	40	*27	0
DUNDEE, . .	29.8	2.6	93	17	29	0	3	0	2	2	0	1	0	32	2	17	1	0
ABERDEEN, .	23.8	2.3	72	15	20	0	0	0	1	5	0	1	0	18	1	12	2	0
PAISLEY, . .	19.2	1.3	30	8	9	0	0	1	0	1	0	0	0	12	0	9	1	1
LEITH, . . .	22.5	0.7	34	6	17	0	0	0	0	1	0	0	0	10	1	9	0	0
GREENOCK, .	24.2	3.8	32	5	10	0	1	1	2	0	0	1	0	9	3	5	2	0
PERTH, . . .	15.6	1.6	10	1	4	0	0	0	1	0	0	0	0	3	0	3	0	0

\* Including 20 of crew of H.M.S. *Active*, lost off Granton.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 14, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 14, 1903, was 645, being at the annual rate of 19·7 per thousand of the estimated population. This rate is 3·9 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Greenock, viz., 18·0 per thousand; and the highest in Perth, viz., 27·9 per thousand.

The seven principal Epidemic diseases accounted for 67 deaths, being at the rate of 2·0 per thousand of population, or 0·3 below that for last week. Of these deaths 28 were due to Hooping-cough, of which 16 occurred in Glasgow and 8 in Edinburgh; and 15 to Measles, of which 7 occurred in Aberdeen and 5 in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 116, being 22 above the number for the previous week.

The Mean Temperature was 41°·8, being 3°·9 above that for the week immediately preceding, but 2°·0 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 14, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Mar. 14, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	985	645	193	53·2	26·0	41·8	0·75
GLASGOW, . . .	12,681	786,897	62·053	9·49	465	289	96	53·2	30·1	41·9	1·23
EDINBURGH, . .	11,416	327,441	28·683	13·96	158	119	33	51·2	32·4	42·0	0·62
DUNDEE, . . .	4,162	162,805	39·117	11·95	86	76	11	50·4	31·2	41·7	0·22
ABERDEEN, . .	6,795	160,780	23·662	15·37	101	59	23	50·0	27·5	41·6	0·17
PAISLEY, . . .	3,538	82,608	23·349	15·47	57	32	14	52·5	31·9	42·5	1·24
LEITH, . . . .	2,044	79,552	38·920	11·98	55	28	11	52·0	34·6	43·2	0·52
GREENOCK, . .	1,440	69,252	48·092	10·78	47	24	4	49·7	32·0	41·2	1·44
PERTH, . . . .	2,122	33,577	15·823	18·79	16	18	1	51·5	26·0	40·6	0·56
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1003	763	178	58·2	30·5	43·8	0·25

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, MARCH 14, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 14, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Puen- monia & Pleurisy.	Violence.			
In Eight Towns,	19·7	2·0	645	124	176	0	15	4	5	28	3	12	1	116	21	154	22	4
GLASGOW, .	19·1	1·9	289	61	71	0	1	0	4	16	3	4	1	64	9	76	9	3
EDINBURGH,	18·9	2·2	119	16	41	0	5	1	0	8	0	0	0	12	5	34	7	0
DUNDEE, . .	24·3	1·9	76	14	21	0	0	0	1	2	0	3	0	10	5	15	0	0
ABERDEEN, .	19·1	2·6	59	12	14	0	7	0	0	0	0	1	0	14	1	10	3	1
PAISLEY, . .	20·1	2·5	32	6	10	0	0	2	0	1	0	1	0	6	0	8	0	0
LEITH, . . .	18·3	2·0	28	5	10	0	2	0	0	0	0	1	0	3	0	4	0	0
GREENOCK, .	18·0	3·0	24	8	2	0	0	1	0	1	0	2	0	3	1	2	2	0
PERTH, . . .	27·9	0·0	18	2	7	0	0	0	0	0	0	0	0	4	0	5	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 15, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·6	2·6	763	121	217	7	14	8	6	23	4	23	3	186	28	186	13	1
GLASGOW, .	22·6	2·9	337	54	80	7	4	4	3	12	2	11	2	93	17	87	7	1
EDINBURGH,	20·6	1·3	128	23	47	0	0	2	1	1	1	3	1	24	6	41	4	0
DUNDEE, . .	30·2	3·5	94	16	24	0	5	0	0	1	1	4	0	30	1	17	0	0
ABERDEEN, .	27·7	2·6	84	11	32	0	0	0	0	7	0	1	0	17	2	12	2	0
PAISLEY, . .	17·3	0·6	27	1	9	0	0	0	1	0	0	0	0	9	0	11	0	0
LEITH, . . .	19·8	3·3	30	7	8	0	0	0	0	2	0	3	0	6	0	6	0	0
GREENOCK, .	34·0	5·3	45	6	13	0	4	2	0	0	0	1	0	3	2	6	0	0
PERTH, . . .	28·1	3·1	18	3	4	0	1	0	1	0	0	0	0	4	0	6	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12.

WEEK ENDING SATURDAY, MARCH 21, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 21, 1903, was 657, being at the annual rate of 20·1 per thousand of the estimated population. This rate is 3·6 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest rate of mortality occurred in Aberdeen, viz., 14·9 per thousand; and the highest in Perth, viz., 21·7 per thousand.

The seven principal Epidemic diseases accounted for 68 deaths, being at the rate of 2·1 per thousand of population, or 0·1 above that for last week. Of these deaths 32 were due to Hooping-cough, of which 19 occurred in Glasgow and 7 in Edinburgh; 14 to Diarrhoeal diseases; 8 to Measles; and 6 to Scarlet Fever, of which 4 occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 134, being 18 above the number for the previous week.

The Mean Temperature was 42°·5, being 0°·7 above that for the week immediately preceding, but 1°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 21, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Mar. 21, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	982	657	136	57·8	27·0	42·5	1·85
GLASGOW, . . .	12,681	786,897	62·053	9·49	485	318	67	57·8	32·1	43·6	2·82
EDINBURGH, . .	11,416	327,441	28·683	13·96	150	128	25	51·6	30·7	42·3	1·16
DUNDEE, . . .	4,162	162,805	39·117	11·95	115	62	7	52·4	32·9	41·6	0·82
ABERDEEN, . .	6,795	160,780	23·662	15·37	87	46	21	52·0	29·0	41·6	0·69
PAISLEY, . . .	3,538	82,608	23·349	15·47	43	29	8	52·2	33·0	43·4	3·49
LEITH, . . . .	2,044	79,552	38·920	11·98	48	33	5	54·7	33·6	44·3	0·82
GREENOCK, . .	1,440	69,252	48·092	10·78	38	27	2	50·7	33·0	41·6	3·74
PERTH, . . . .	2,122	33,577	15·823	18·79	16	14	1	55·0	27·0	41·9	1·29
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	1006	767	173	61·4	28·0	43·7	0·67

# Week ending Saturday, MARCH 21, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 21, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.1	2.1	65.7	132	174	0	8	6	3	32	5	14	0	134	28	158	20	3
GLASGOW, .	21.0	2.2	318	65	68	0	2	0	1	19	4	7	0	73	14	73	8	3
EDINBURGH,	20.3	2.7	128	18	37	0	3	4	0	7	0	3	0	21	8	39	6	0
DUNDEE, . .	19.8	1.0	62	14	19	0	0	0	1	1	0	1	0	5	2	17	1	0
ABERDEEN, .	14.9	1.9	46	12	15	0	2	1	1	1	0	1	0	11	1	8	2	0
PAISLEY, . .	18.3	2.5	29	7	7	0	0	1	0	1	0	2	0	3	1	6	2	0
LEITH, . . .	21.6	2.0	33	10	9	0	1	0	0	2	0	0	0	10	2	6	0	0
GREENOCK, .	20.3	1.5	27	4	12	0	0	0	0	1	1	0	0	6	0	4	1	0
PERTH, . . .	21.7	0.0	14	2	7	0	0	0	0	0	0	0	0	5	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 22, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.7	2.6	76.7	151	181	6	11	5	4	28	4	25	4	213	26	184	30	3
GLASGOW, .	24.3	2.8	363	67	73	6	6	1	0	15	2	12	3	108	10	86	12	3
EDINBURGH,	22.2	1.1	138	27	40	0	0	0	2	4	0	1	0	29	9	40	9	0
DUNDEE, . .	25.0	3.8	78	16	19	0	2	0	2	3	0	5	1	29	2	13	0	0
ABERDEEN, .	25.8	2.6	78	24	19	0	0	0	0	4	0	4	0	20	2	14	2	0
PAISLEY, . .	26.3	3.2	41	7	7	0	1	0	0	2	1	1	0	9	0	15	5	0
LEITH, . . .	24.5	2.6	37	8	13	0	1	1	0	0	0	2	0	11	2	6	1	0
GREENOCK, .	18.2	3.8	24	2	5	0	1	3	0	0	1	0	0	6	1	7	1	0
PERTH, . . .	12.5	0.0	8	0	5	0	0	0	0	0	0	0	0	1	0	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 13.

WEEK ENDING SATURDAY, MARCH 28, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 28, 1903, was 609, representing an annual mortality rate of 18·6 per thousand of the estimated population. This rate is 1·7 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 15·0 per thousand; and the highest in Dundee and in Perth, viz., 21·7 per thousand.

The seven principal Epidemic diseases accounted for 77 deaths, being at the rate of 2·4 per thousand of population, or 0·3 above that for last week. Of these deaths 37 were due to Hooping-cough, of which 22 occurred in Glasgow, 6 in Edinburgh, and 5 in Greenock; 17 to Diarrhoeal diseases; and 12 to Measles, of which 5 occurred in Aberdeen and 4 in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 98, being 36 less than the number for the previous week.

The Mean Temperature was 45°·3, being 2°·8 above that for the week immediately preceding, and 5°·7 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 28, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Proximity in Yards.	Registered during the Week ending Mar. 28, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1063	609	172	57·0	32·8	45·3	1·63
GLASGOW, . . .	12,681	786,897	62·053	9·49	527	300	84	56·9	36·2	47·3	1·65
EDINBURGH, . .	11,416	327,441	28·683	13·96	182	109	40	54·5	36·4	45·7	1·33
DUNDEE, . . .	4,162	162,805	39·117	11·95	96	68	18	54·7	34·8	44·5	0·95
ABERDEEN, . .	6,795	160,780	23·662	15·37	104	47	10	51·5	32·8	44·5	0·54
PAISLEY, . . .	3,538	82,608	23·349	15·47	50	24	4	55·1	36·0	45·4	2·33
LEITH, . . . .	2,044	79,552	38·920	11·98	48	23	5	57·0	37·9	46·9	1·06
GREENOCK, . .	1,440	69,252	48·092	10·78	46	24	6	53·7	33·0	44·3	3·63
PERTH, . . . .	2,122	33,577	15·823	18·79	10	14	5	55·0	34·0	44·1	1·55
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	989	655	175	54·2	22·0	39·6	0·39

Week ending Saturday, MARCH 28, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 28, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes	
In Eight Towns,	18·6	2·4	609	134	142	0	12	3	3	37	5	17	2	98	21	147	16	1	
GLASGOW, .	19·8	2·8	300	74	61	0	2	3	3	22	3	9	1	58	11	63	7	1	
EDINBURGH,	17·3	2·1	109	17	38	0	4	0	0	6	2	1	0	13	5	36	8	0	
DUNDEE, . .	21·7	1·9	68	16	17	0	0	0	0	2	0	4	0	12	0	16	0	0	
ABERDEEN, .	15·2	2·3	47	12	12	0	5	0	0	0	0	2	1	5	1	15	0	0	
PAISLEY, . .	16·1	0·0	24	4	6	0	0	0	0	0	0	0	0	2	3	5	1	0	
LEITH, . . .	15·0	1·3	23	6	5	0	1	0	0	1	0	0	0	2	0	5	0	0	
GREENOCK, .	18·0	4·5	24	3	2	0	0	0	0	5	0	1	0	3	1	5	0	0	
PERTH, . . .	21·7	1·5	14	2	1	0	0	0	0	1	0	0	0	3	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 29, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·3	1·8	655	109	189	0	14	3	6	13	1	22	0	173	13	155	22	2	
GLASGOW, .	22·1	2·3	330	62	70	0	12	2	4	6	0	11	0	96	9	75	15	2	
EDINBURGH,	12·1	0·2	75	6	39	0	0	0	0	0	0	1	0	17	1	18	4	0	
DUNDEE, . .	19·6	1·6	61	9	21	0	1	0	1	0	1	2	0	20	0	15	0	0	
ABERDEEN, .	28·4	1·7	86	12	34	0	0	0	0	4	0	1	0	19	1	21	1	0	
PAISLEY, . . .	17·9	3·2	28	7	8	0	0	1	0	1	0	3	0	7	0	9	1	0	
LEITH, . . . .	25·8	2·6	39	8	8	0	0	0	0	2	0	2	0	7	1	8	0	0	
GREENOCK, .	20·4	3·0	27	4	6	0	1	0	1	0	0	2	0	7	0	4	1	0	
PERTH, . . . .	14·1	0·0	9	1	3	0	0	0	0	0	0	0	0	0	1	5	0	0	

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 4, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 4, 1903, was 589, representing an annual mortality rate of 18·0 per thousand of the estimated population. This rate is 3·3 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest rate of mortality occurred in Paisley, viz., 12·6 per thousand ; and the highest in Greenock, viz., 25·5 per thousand.

From the seven principal Epidemic diseases 57 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·7 below that for last week. Of these deaths, 25 were due to Hooping-cough, of which 12 occurred in Glasgow, 5 in Dundee, and 3 in Greenock ; 14 to Diarrhoeal diseases ; 12 to Measles, of which 6 occurred in Aberdeen ; and 4 to Fever, of which 3 occurred in Glasgow, and 1 (Typhus) in Greenock.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 121, being 23 more than the number for the previous week.

The Mean Temperature was 43°·8, being 1°·5 below that for the week immediately preceding, but 2°·2 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 4, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Apr. 4, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	983	589	243	57·7	30·0	43·8	0·89
GLASGOW, . . .	12,681	786,897	62·053	9·49	479	290	129	57·7	35·7	45·2	0·99
EDINBURGH, . .	11,416	327,441	28·683	13·96	180	109	40	53·9	34·9	43·6	0·53
DUNDEE, . . .	4,162	162,805	39·117	11·95	91	57	17	54·7	32·4	42·8	0·26
ABERDEEN, . .	6,795	160,780	23·662	15·37	95	42	20	51·2	33·0	43·6	0·49
PAISLEY, . . .	3,538	82,608	23·349	15·47	50	20	16	57·3	36·0	44·7	1·42
LEITH, . . . .	2,044	79,552	38·920	11·98	40	27	9	54·7	36·9	44·9	0·51
GREENOCK, . .	1,440	69,252	48·092	10·78	36	34	8	57·0	35·0	43·8	2·51
PERTH, . . . .	2,122	33,577	15·823	18·79	12	10	4	54·0	30·0	42·0	0·41
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1095	687	338	54·0	25·0	41·6	0·31

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, APRIL 4, 1903.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 4, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.0	1.7	589	116	139	0	12	1	1	25	4	14	0	121	17	139	34	5
GLASGOW, .	19.2	1.6	290	59	59	0	3	0	1	12	3	5	0	67	6	77	16	5
EDINBURGH,	17.3	2.1	109	18	29	0	3	1	0	3	0	6	0	16	3	27	6	0
DUNDEE, . .	18.2	2.6	57	12	15	0	0	0	0	5	0	3	0	9	3	7	3	0
ABERDEEN, .	13.6	1.9	42	11	10	0	6	0	0	0	0	0	0	8	3	10	2	0
PAISLEY, . .	12.6	0.0	20	3	6	0	0	0	0	0	0	0	0	4	1	6	3	0
LEITH, . . .	17.6	0.7	27	3	9	0	0	0	0	1	0	0	0	6	1	6	2	0
GREENOCK, .	25.5	3.0	34	8	7	0	0	0	0	3	1	0	0	9	0	5	2	0
PERTH, . . .	15.5	1.5	10	2	4	0	0	0	0	1	0	0	0	2	0	1	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 5, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.3	1.8	687	124	197	2	11	8	5	14	4	15	1	159	30	162	29	5
GLASGOW, .	21.9	2.1	326	54	78	2	5	3	3	7	2	9	1	82	19	87	15	4
EDINBURGH,	19.6	0.8	122	21	43	0	0	0	1	2	1	1	0	25	4	28	8	0
DUNDEE, . .	23.4	3.2	73	15	21	0	5	1	1	0	0	3	0	17	2	11	1	0
ABERDEEN, .	19.8	1.3	60	14	27	0	0	0	0	2	0	2	0	14	0	10	1	1
PAISLEY, . .	16.0	0.6	25	5	4	0	0	0	0	1	0	0	0	4	1	5	2	0
LEITH, . . .	23.1	0.7	35	8	12	0	0	0	0	1	0	0	0	8	1	7	1	0
GREENOCK, .	26.5	5.3	35	6	7	0	1	4	0	1	1	0	0	8	3	11	1	0
PERTH, . . .	17.2	0.0	11	1	5	0	0	0	0	0	0	0	0	1	0	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 15.

WEEK ENDING SATURDAY, APRIL 11, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 11, 1903, was 578, representing an annual mortality rate of 17·6 per thousand of the estimated population. This rate is 4·5 below that for the corresponding week of last year, and 0·4 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 14·9 per thousand; and the highest in Perth, viz., 27·9 per thousand.

From the seven principal Epidemic diseases 64 deaths were registered, being at the rate of 2·0 per thousand of population, or 0·3 above that for last week. Of these deaths, 25 were due to Hooping-cough, of which 12 occurred in Glasgow, 7 in Edinburgh, and 3 in Greenock; 14 to Measles, of which 6 occurred in Edinburgh and 5 in Aberdeen; and 11 to the Diarrhoeal diseases.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 96, being 25 less than the number for the previous week.

The Mean Temperature was 46°·8, being 3°·0 above that for the week immediately preceding, and 6°·5 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 11, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox. imity in Yards.	Registered during the Week ending Apr. 11, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	942	578	185	60·0	34·9	46·8	0·20
GLASGOW, . . .	12,681	786,897	62·053	9·49	445	256	99	56·2	37·0	47·4	0·18
EDINBURGH, . .	11,416	327,441	28·683	13·96	168	129	20	54·0	34·9	46·3	0·15
DUNDEE, . . .	4,162	162,805	39·117	11·95	83	53	23	57·7	35·2	46·7	0·15
ABERDEEN, . .	6,795	160,780	23·662	15·37	92	46	16	59·0	35·6	46·8	0·20
PAISLEY, . . .	3,538	82,608	23·349	15·47	55	28	7	...	...	...	...
LEITH, . . . .	2,044	79,552	38·920	11·93	39	23	5	56·1	36·9	47·8	0·12
GREENOCK, . .	1,440	69,252	48·092	10·78	43	25	10	54·0	36·0	45·7	0·52
PERTH, . . . .	2,122	33,577	15·823	18·79	17	18	5	60·0	36·0	47·0	0·06
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1030	715	204	55·4	24·0	40·3	0·39

# Week ending Saturday, APRIL 11, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 11, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.6	2.0	578	128	140	0	14	3	3	25	8	11	2	96	20	128	21	2
GLASGOW, .	16.9	1.7	256	61	50	0	3	1	2	12	3	5	2	39	10	58	11	1
EDINBURGH,	20.5	2.4	129	27	34	0	6	1	0	7	0	1	0	15	5	34	6	0
DUNDEE, . .	16.9	1.9	53	12	18	0	0	1	0	1	2	2	0	14	0	7	1	0
ABERDEEN, .	14.9	1.9	46	8	14	0	5	0	0	0	0	1	0	8	2	6	0	0
PAISLEY, . .	17.6	2.5	28	5	9	0	0	0	1	2	0	1	0	4	1	8	1	0
LEITH, . . .	15.0	0.0	23	6	5	0	0	0	0	0	0	0	0	6	0	4	2	1
GREENOCK, .	18.8	4.5	25	5	4	0	0	0	0	3	2	1	0	6	0	3	0	0
PERTH, . . .	27.9	1.5	18	4	6	0	0	0	0	0	1	0	0	4	2	8	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 12, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.1	1.7	715	116	202	2	10	8	2	21	5	8	1	187	52	177	34	2
GLASGOW, . .	22.7	1.6	338	53	80	2	4	4	2	7	3	2	1	80	35	93	18	1
EDINBURGH,	20.1	1.4	125	15	45	0	3	1	0	2	1	2	0	32	7	29	7	0
DUNDEE, . .	21.5	1.6	67	10	21	0	2	0	0	2	0	1	0	20	5	16	0	0
ABERDEEN, .	25.1	2.6	76	17	23	0	0	0	0	8	0	0	0	16	2	16	3	1
PAISLEY, . .	23.7	0.0	37	6	13	0	0	0	0	0	0	0	0	14	0	7	4	0
LEITH, . . .	13.9	2.6	21	6	4	0	0	0	0	0	1	3	0	5	1	3	0	0
GREENOCK, .	26.5	3.8	35	7	11	0	1	3	0	1	0	0	0	13	2	6	2	0
PERTH, . . .	25.0	1.6	16	2	5	0	0	0	0	1	0	0	0	7	0	7	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 16.                      WEEK ENDING SATURDAY, APRIL 18, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 18, 1903, was 581, being at the annual rate of 17·7 per thousand of the estimated population. This rate is 6·9 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 7·7 per thousand; and the highest in Edinburgh, viz., 20·3 per thousand.

The seven principal Epidemic diseases accounted for 53 deaths, being at the rate of 1·6 per thousand of population, or 0·4 below that for last week. Of these deaths, 17 were due to Hooping-cough, of which 11 occurred in Glasgow; 17 to the Diarrhoeal diseases; 8 to Diphtheria; and 7 to Measles, of which 3 occurred in Aberdeen.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 109, being 13 above the number for the previous week.

The Mean Temperature was 37°·1, being 9°·7 below that for the week immediately preceding, and 8°·8 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 18, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Apr. 18, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1117	581	385	49·1	24·2	37·1	0·31
GLASGOW, . . .	12,681	786,897	62·053	9·49	533	281	166	49·0	24·2	38·1	0·79
EDINBURGH, . .	11,416	327,441	28·683	13·96	209	128	70	46·4	26·5	36·1	0·19
DUNDEE, . . .	4,162	162,805	39·117	11·95	96	52	83	44·0	28·3	36·3	0·08
ABERDEEN, . .	6,795	160,780	23·662	15·37	97	53	20	46·0	29·0	36·1	0·80
PAISLEY, . . .	3,538	82,608	23·349	15·47	61	18	15	...	...	...	...
LEITH, . . . .	2,044	79,552	38·920	11·98	51	18	13	49·1	30·6	39·1	0·15
GREENOCK, . .	1,440	69,252	48·092	10·78	54	26	12	47·2	28·5	36·9	0·19
PERTH, . . . .	2,122	33,577	15·823	18·79	16	5	6	48·0	26·0	36·9	0·00
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1086	795	252	60·6	24·0	45·9	0·39

**Week ending Saturday, APRIL 18, 1903.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 18, 1903.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17·7	1·6	581	131	144	0	7	2	8	17	2	17	0	109	27	135	20
GLASGOW, . .	18·6	1·7	281	67	53	0	0	0	4	11	2	9	0	57	17	65	9
EDINBURGH,	20·3	1·6	128	24	42	0	2	1	2	3	0	2	0	17	3	38	4
DUNDEE, . .	16·6	1·9	52	14	15	0	2	0	1	2	0	1	0	13	3	8	2
ABERDEEN, .	17·1	1·9	53	15	17	0	3	0	0	0	0	3	0	3	1	11	1
PAISLEY, . .	11·3	1·3	18	3	3	0	0	1	1	0	0	0	0	4	0	3	1
LEITH, . . .	11·8	0·0	18	3	4	0	0	0	0	0	0	0	0	5	0	7	0
GREENOCK, .	19·5	2·3	26	5	9	0	0	0	0	1	0	2	0	10	2	1	3
PERTH, . . .	7·7	0·0	5	0	1	0	0	0	0	0	0	0	0	0	1	2	0

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 19, 1902.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	24·6	2·0	795	153	214	1	18	2	7	21	4	10	2	197	16	169	18
GLASGOW, . .	25·7	1·8	384	73	96	1	6	0	3	7	4	6	1	105	11	84	9
EDINBURGH,	22·5	1·6	140	27	43	0	5	1	1	2	0	1	0	30	0	37	5
DUNDEE, . .	21·2	1·0	66	6	24	0	1	0	0	1	0	1	0	20	1	21	0
ABERDEEN, .	25·4	3·0	77	18	18	0	0	0	0	8	0	1	0	14	1	14	2
PAISLEY, . .	19·9	1·3	31	7	8	0	1	0	0	1	0	0	0	5	0	2	1
LEITH, . . .	21·2	2·0	32	8	8	0	0	0	2	1	0	0	0	6	2	3	1
GREENOCK, .	34·0	2·3	45	8	12	0	1	1	1	0	0	0	1	14	1	5	0
PERTH, . . .	31·2	9·4	20	6	5	0	4	0	0	1	0	1	0	3	0	3	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17.

WEEK ENDING SATURDAY, APRIL 25, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 25, 1903, was 605, being at the annual rate of 18·5 per thousand of the estimated population. This rate is 2·6 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 13·9 per thousand; and the highest in Glasgow, viz., 20·3 per thousand.

The seven principal Epidemic diseases accounted for 59 deaths, being at the rate of 1·8 per thousand of population, or 0·2 above that for last week. Hooping-cough was the most fatal of these diseases, having caused 30 deaths, of which 22 occurred in Glasgow, 4 in Edinburgh, and 2 in Greenock.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 126, being 17 above the number for the previous week.

The Mean Temperature was 40°·6, being 3°·5 above that for the week immediately preceding, but 9°·6 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 25, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Apr. 25, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1097	605	290	60·2	23·0	40·6	0·05
GLASGOW, . . .	12,681	786,897	62·053	9·49	578	307	140	60·2	27·2	41·9	0·02
EDINBURGH, . .	11,416	327,441	28·683	13·96	147	113	67	52·7	27·7	39·1	0·08
DUNDEE, . . .	4,162	162,805	39·117	11·95	94	54	14	54·0	28·7	39·5	0·00
ABERDEEN, . .	6,795	160,780	23·662	15·37	98	52	29	55·0	28·5	40·3	0·10
PAISLEY, . . .	3,538	82,608	23·349	15·47	52	23	12	60·1	29·0	42·6	0·02
LEITH, . . . .	2,044	79,552	38·920	11·98	48	27	13	54·7	33·1	41·7	0·12
GREENOCK, . .	1,440	69,252	48·092	10·78	55	20	12	54·2	30·2	41·0	0·03
PERTH, . . . .	2,122	33,577	15·823	18·79	25	9	3	59·0	23·0	39·0	0·00
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1010	682	247	63·0	35·0	50·2	0·53

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, APRIL 25, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 25, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns.	18.5	1.8	605	121	155	0	4	2	2	30	3	18	3	126	21	149	16	1
GLASGOW, .	20.3	2.3	307	65	60	0	1	1	0	22	3	8	0	80	10	75	5	1
EDINBURGH,	17.9	1.1	113	15	35	0	1	0	0	4	0	2	0	14	4	39	6	0
DUNDEE, . .	17.2	1.3	54	9	25	0	0	0	1	1	0	2	1	9	1	6	0	0
ABERDEEN, .	16.8	1.6	52	9	16	0	2	1	1	0	0	1	1	9	3	13	1	0
PAISLEY, . .	14.5	1.9	23	5	7	0	0	0	0	0	0	3	0	7	0	4	0	0
LEITH, . . .	17.6	1.3	27	8	6	0	0	0	0	1	0	1	0	4	1	5	3	0
GREENOCK, .	15.0	2.3	20	9	3	0	0	0	0	2	0	1	1	2	1	2	0	0
PERTH, . . .	13.9	0.0	9	1	3	0	0	0	0	0	0	0	0	1	1	5	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 26, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns.	21.1	2.2	682	127	154	1	13	5	4	29	1	17	1	160	18	163	18	7
GLASGOW, .	22.7	2.1	338	59	62	1	2	3	4	12	1	9	1	87	8	80	10	6
EDINBURGH,	18.5	0.3	115	21	33	0	0	1	0	1	0	0	0	21	2	32	4	1
DUNDEE, . .	22.1	3.8	69	13	23	0	4	0	0	4	0	4	0	14	3	12	1	0
ABERDEEN, .	18.2	4.3	55	14	11	0	0	1	0	10	0	2	0	13	3	16	3	0
PAISLEY, . .	20.5	1.9	32	6	10	0	3	0	0	0	0	0	0	6	0	9	0	0
LEITH, . . .	20.5	1.3	31	9	7	0	0	0	0	1	0	1	0	12	0	6	0	0
GREENOCK, .	23.4	1.5	31	5	4	0	1	0	0	0	0	1	0	6	1	3	0	0
PERTH, . . .	17.2	6.2	11	0	4	0	3	0	0	1	0	0	0	1	1	5	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 18.

WEEK ENDING SATURDAY, MAY 2, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 2, 1903, was 628, being at the annual rate of 19·2 per thousand of the estimated population. This rate is 0·3 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh, viz., 15·2 per thousand ; and the highest in Greenock, viz., 23·3 per thousand.

The seven principal Epidemic diseases accounted for 57 deaths, being at the rate of 1·7 per thousand of population, or 0·1 below that for last week. Hooping-cough was the most fatal of these diseases, having caused 32 deaths, of which 15 occurred in Glasgow, and 7 in Greenock. Eleven deaths were due to Diarrhœa, and 7 to Measles, of which 5 occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being 3 less than the number for the previous week.

The Mean Temperature was 45°·6, being 5°·0 above that for the week immediately preceding, and 0°·3 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 2, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending May 2, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1068	628	406	59·0	33·1	45·6	0·79
GLASGOW, . . .	12,681	786,897	62·053	9·49	513	311	203	57·8	35·8	47·2	0·21
EDINBURGH, . .	11,416	327,441	28·683	13·96	181	96	81	53·2	33·1	43·3	0·70
DUNDEE, . . .	4,162	162,805	39·117	11·95	107	58	34	55·8	37·6	45·0	1·16
ABERDEEN, . .	6,795	160,780	23·662	15·37	99	64	28	57·5	39·0	45·1	0·68
PAISLEY, . . .	3,538	82,608	23·349	15·47	53	25	23	59·0	36·0	47·3	1·36
LEITH, . . . .	2,044	79,552	38·920	11·98	57	29	18	50·9	34·9	44·1	0·77
GREENOCK, . .	1,440	69,252	48·092	10·78	42	31	12	55·7	37·0	46·9	0·56
PERTH, . . . .	2,122	33,577	15·823	18·79	16	14	7	58·0	37·0	45·9	0·85
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	1042	612	402	61·0	30·0	45·3	0·31

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, MAY 2, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 2, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.2	1.7	628	126	168	0	7	4	1	32	2	11	2	123	24	157	38	5
GLASGOW, .	20.6	1.7	311	66	68	0	2	0	1	15	1	6	2	79	10	71	19	4
EDINBURGH,	15.2	1.7	96	12	30	0	5	0	0	4	1	1	0	10	4	26	10	0
DUNDEE, . .	18.5	1.3	58	16	22	0	0	0	0	3	0	1	0	11	1	22	0	0
ABERDEEN, .	20.7	1.0	64	11	23	0	0	0	0	1	0	2	0	9	2	20	1	0
PAISLEY, . .	15.7	3.1	25	5	4	0	0	3	0	1	0	1	0	3	3	5	3	1
LEÍTH, . . .	19.0	0.7	29	8	8	0	0	0	0	1	0	0	0	4	0	6	0	0
GREENOCK, .	23.3	6.0	31	8	7	0	0	1	0	7	0	0	0	4	1	2	4	0
PERTH, . . .	21.7	0.0	14	0	6	0	0	0	0	0	0	0	0	3	3	5	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 3, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.9	2.4	612	111	149	1	15	2	4	28	5	23	1	137	25	134	25	1
GLASGOW, . .	20.6	2.7	307	61	63	1	4	0	2	16	3	14	0	76	10	69	14	1
EDINBURGH,	15.8	1.6	98	15	29	0	5	1	0	3	0	1	0	21	5	25	4	0
DUNDEE, . .	18.9	3.2	59	8	13	0	5	0	0	2	0	3	0	11	3	9	0	0
ABERDEEN, .	15.8	2.3	48	6	17	0	0	0	0	6	0	1	1	8	1	14	1	0
PAISLEY, . .	21.1	0.6	33	5	13	0	0	0	0	1	0	0	0	11	1	7	1	0
LEITH, . . .	16.5	1.3	25	7	7	0	0	0	1	0	0	1	0	6	0	3	2	0
GREENOCK, .	23.4	3.8	31	7	3	0	0	1	0	0	2	2	0	4	4	6	3	0
PERTH, . . .	17.2	4.7	11	2	4	0	1	0	1	0	0	1	0	0	1	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

---

No. 19.
WEEK ENDING SATURDAY, MAY 9, 1903.

---

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 9, 1903, was 585, being at the annual rate of 17·9 per thousand of the estimated population. This rate is 0·2 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Dundee, viz., 11·5 per thousand ; and the highest in Greenock, viz., 24·8 per thousand.

The seven principal Epidemic diseases accounted for 57 deaths, being at the rate of 1·7 per thousand of population, or the same as that for last week. Of these deaths, 26 were due to Hooping-cough, of which 14 occurred in Glasgow, and 6 in Greenock ; 11 to Diarrhoea ; and 8 to Measles, of which 5 occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 103, being 20 below the number for the previous week.

The Mean Temperature was 45°·5, being 0°·1 below that for the week immediately preceding, but 1°·9 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 9, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox. imity in Yards.	Registered during the Week ending May 9, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1045	585	131	56·8	34·4	45·5	0·76
GLASGOW, . . .	12,681	786,897	62·053	9·49	524	296	83	55·8	36·2	46·9	0·76
EDINBURGH, . .	11,416	327,441	28·683	13·96	167	104	20	49·9	38·6	44·0	0·61
DUNDEE, . . .	4,162	162,805	39·117	11·95	102	36	7	54·2	38·6	44·9	0·64
ABERDEEN, . .	6,795	160,780	23·662	15·37	101	46	10	56·8	34·4	45·0	1·20
PAISLEY, . . .	3,538	82,608	23·349	15·47	47	31	4	56·1	38·2	46·6	0·93
LEITH, . . . .	2,044	79,552	38·920	11·98	48	26	0	53·5	40·0	45·6	0·60
GREENOCK, . .	1,440	69,252	48·092	10·78	33	33	6	52·2	39·2	45·8	0·76
PERTH, . . . .	2,122	33,577	15·823	18·79	23	13	1	54·0	35·0	45·3	0·60
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1009	586	102	61·0	28·0	43·6	0·33

# Week ending Saturday, MAY 9, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 9, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.9	1.7	585	120	152	0	8	4	5	26	3	11	1	103	28	134	21
GLASGOW, .	19.6	1.7	296	56	70	0	2	2	2	14	2	3	0	53	15	71	12
EDINBURGH,	16.5	2.1	104	26	23	0	5	0	2	4	1	1	0	15	5	33	2
DUNDEE, . .	11.5	1.0	36	10	8	0	0	0	0	0	0	3	0	6	3	9	1
ABERDEEN, .	14.9	1.6	46	11	18	0	1	0	1	0	0	3	0	12	0	8	1
PAISLEY, . .	19.5	1.3	31	4	8	0	0	2	0	0	0	0	0	4	2	7	3
LEITH, . . .	17.0	2.0	26	3	10	0	0	0	0	2	0	1	1	2	1	3	0
GREENOCK, .	24.8	4.5	33	9	10	0	0	0	0	6	0	0	0	6	2	3	2
PERTH, . . .	20.1	0.0	13	1	5	0	0	0	0	0	0	0	0	5	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 10, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.1	1.4	586	124	130	0	9	4	3	16	1	13	1	112	25	145	20
GLASGOW, .	19.4	1.5	290	63	55	0	3	2	3	8	0	6	0	63	17	68	11
EDINBURGH,	16.9	1.3	105	17	27	0	1	1	0	2	0	4	0	20	3	33	5
DUNDEE, . .	17.3	0.6	54	9	9	0	2	0	0	0	0	0	1	6	2	5	1
ABERDEEN, .	17.2	2.3	52	16	17	0	0	0	0	5	0	2	0	9	2	13	0
PAISLEY, . .	21.1	1.9	33	7	8	0	2	0	0	0	1	0	0	4	1	12	2
LEITH, . . .	9.9	0.0	15	2	5	0	0	0	0	0	0	0	0	5	0	3	0
GREENOCK, .	18.2	1.5	24	9	6	0	1	1	0	0	0	0	0	4	0	6	1
PERTH, . . .	20.3	3.1	13	1	3	0	0	0	0	1	0	1	0	1	0	5	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 20.

WEEK ENDING SATURDAY, MAY 16, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 16, 1903, was 590, being at the annual rate of 18·0 per thousand of the estimated population. This rate is 1·4 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 7·7 per thousand; and the highest in Greenock, viz., 22·5 per thousand.

The seven principal Epidemic diseases accounted for 69 deaths, being at the rate of 2·1 per thousand of population, or 0·4 above that for last week. Hooping-cough was the most fatal of these diseases, having caused 25 deaths, of which 12 occurred in Glasgow, 7 in Edinburgh, and 4 in Greenock. Measles caused 16 deaths, 9 of which occurred in Glasgow, and 5 in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 96, being 7 less than the number for the previous week.

The Mean Temperature was 47°·2, being 1°·7 above that for the week immediately preceding, and 3°·2 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 16, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending May 16, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1089	590	94	62·2	28·0	47·2	0·74
GLASGOW, . . .	12,681	786,897	62·053	9·49	516	292	37	55·5	31·6	46·8	1·30
EDINBURGH, . .	11,416	327,441	28·683	13·96	155	120	21	54·8	35·5	46·4	0·29
DUNDEE, . . .	4,162	162,805	39·117	11·95	123	48	10	58·8	32·2	47·2	0·08
ABERDEEN, . .	6,795	160,780	23·662	15·37	125	40	20	62·2	34·2	47·2	0·72
PAISLEY, . . .	3,538	82,608	23·349	15·47	46	26	1	59·9	31·9	47·9	1·12
LEITH, . . . .	2,044	79,552	38·920	11·98	58	29	1	56·7	37·1	48·5	0·18
GREENOCK, . .	1,440	69,252	48·092	10·78	42	30	3	55·9	33·5	46·3	2·03
PERTH, . . . .	2,122	33,577	15·823	18·79	24	5	1	59·0	28·0	47·4	0·21
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	990	628	75	60·1	30·5	44·0	0·66

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1903. 28/2098.

[TURN OVER.]

# Week ending Saturday, MAY 16, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 16, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.0	2.1	590	125	142	1	16	4	6	25	5	12	5	96	23	144	24	1
GLASGOW, .	19.3	2.3	292	69	59	*1	9	0	4	12	2	7	2	63	10	55	11	1
EDINBURGH,	19.1	2.5	120	16	31	0	5	2	0	7	1	1	1	10	4	45	9	0
DUNDEE, . .	15.3	1.0	48	7	16	0	0	0	0	0	1	2	0	6	2	19	0	0
ABERDEEN, .	12.9	1.3	40	12	16	0	0	0	0	1	1	2	0	5	1	10	1	0
PAISLEY, . .	16.4	2.5	26	4	7	0	1	2	1	0	0	0	0	4	1	6	0	0
LEITH, . . .	19.0	1.3	29	11	9	0	1	0	0	1	0	0	1	1	4	5	0	0
GREENOCK, .	22.5	3.8	30	5	2	0	0	0	1	4	0	0	1	6	1	3	3	0
PERTH, . . .	7.7	0.0	5	1	2	0	0	0	0	0	0	0	0	1	0	1	0	0

\* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 17, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.4	2.3	628	107	157	0	21	1	4	25	4	19	2	112	24	154	15	4
GLASGOW, .	21.6	2.1	322	54	66	0	4	1	4	10	2	11	2	58	12	87	10	4
EDINBURGH,	15.3	2.3	95	15	29	0	6	0	0	5	0	3	0	10	7	26	3	0
DUNDEE, . .	18.0	1.3	56	15	17	0	1	0	0	0	0	3	0	12	1	11	0	0
ABERDEEN, .	20.8	3.0	63	9	18	0	0	0	0	7	1	1	0	16	0	15	0	0
PAISLEY, . .	21.1	4.5	33	4	10	0	5	0	0	1	1	0	0	6	1	6	1	0
LEITH, . . .	11.2	0.7	17	4	5	0	0	0	0	1	0	0	0	3	2	3	0	0
GREENOCK, .	19.7	2.3	26	3	8	0	2	0	0	0	0	1	0	5	1	3	1	0
PERTH, . . .	25.0	6.2	16	3	4	0	3	0	0	1	0	0	0	2	0	3	0	0

WEEKLY RETURN  
OF  
BIRTHS, DEATHS, AND MARRIAGES  
IN EIGHT PRINCIPAL TOWNS OF  
SCOTLAND.

By Authority of the Registrar-General.

No. 21.                      WEEK ENDING SATURDAY, MAY 23, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 23, 1903, was 563, being at the annual rate of 17·2 per thousand of the estimated population. This rate is 3·1 below that for the corresponding week of last year, and 0·8 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Dundee, viz., 13·4 per thousand; and the highest in Greenock, viz., 23·3 per thousand.

The seven principal Epidemic diseases accounted for 51 deaths, being at the rate of 1·6 per thousand of population, or 0·5 below that for last week. Hooping-cough was the most fatal of these diseases, having caused 22 deaths, 13 of which occurred in Glasgow, and 3 each in Edinburgh and Greenock. The Diarrhoeal diseases accounted for 16 deaths, and Measles for 6.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 102, being 6 above the number for the previous week.

The Mean Temperature was 50°·1, being 2°·9 above that for the week immediately preceding, and 1°·1 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 23, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending May 23, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1007	563	95	66·2	33·0	50·1	0·20
GLASGOW, . . .	12,681	786,897	62·053	9·49	541	282	40	62·4	36·8	50·6	0·17
EDINBURGH, . .	11,416	327,441	28·683	13·96	186	92	21	63·7	38·6	49·7	0·04
DUNDEE, . . .	4,162	162,805	39·117	11·95	106	42	12	65·8	36·0	50·2	0·02
ABERDEEN, . .	6,795	160,780	23·662	15·37	106	55	12	66·2	36·2	49·4	0·00
PAISLEY, . . .	3,538	82,608	23·349	15·47	49	26	3	62·1	36·9	51·2	0·32
LEITH, . . . .	2,044	79,552	38·920	11·98	63	23	2	64·6	39·8	51·5	0·14
GREENOCK, . .	1,440	69,252	48·092	10·78	45	31	4	61·0	38·8	49·5	0·70
PERTH, . . . .	2,122	33,577	15·823	18·79	11	12	1	64·0	33·0	49·1	0·25
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	980	656	104	78·0	31·0	49·0	0·35

# Week ending Saturday, MAY 23, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 23, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	1·6	563	108	134	0	6	1	3	22	3	16	0	102	22	135	13	1
GLASGOW, .	18·6	2·0	282	56	67	0	3	0	3	13	1	10	0	51	13	75	9	1
EDINBURGH,	14·6	1·0	92	11	21	0	2	1	0	3	0	0	0	17	4	24	0	0
DUNDEE, . .	13·4	1·0	42	12	9	0	0	0	0	0	1	2	0	11	1	12	1	0
ABERDEEN, .	17·8	1·0	55	8	19	0	0	0	0	1	0	2	0	10	1	11	2	0
PAISLEY, . .	16·4	0·6	26	4	5	0	0	0	0	0	0	1	0	3	2	5	0	0
LEITH, . . .	15·0	2·0	23	6	5	0	1	0	0	2	0	0	0	3	0	2	0	0
GREENOCK, .	23·3	3·8	31	10	5	0	0	0	0	3	1	1	0	6	1	3	1	0
PERTH, . . .	18·6	0·0	12	1	3	0	0	0	0	0	0	0	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 24, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	20·3	1·7	656	139	181	1	16	6	1	14	3	14	1	155	19	151	21	3		
GLASGOW, .	22·5	1·3	336	59	94	1	2	3	0	5	1	7	1	88	11	76	7	3		
EDINBURGH,	20·6	1·1	128	23	40	0	5	0	0	0	1	1	0	26	2	38	10	0		
DUNDEE, . .	20·2	2·6	63	23	18	0	3	1	1	2	1	0	0	15	2	11	2	0		
ABERDEEN, .	16·2	2·6	49	17	10	0	0	0	0	5	0	3	0	6	2	11	0	0		
PAISLEY, . .	22·4	1·9	35	4	11	0	3	0	0	0	0	0	0	10	0	9	2	0		
LEITH, . . .	9·3	0·0	14	3	5	0	0	0	0	0	0	0	0	3	1	1	0	0		
GREENOCK, .	16·6	3·8	22	6	2	0	0	1	0	1	0	3	0	6	1	3	0	0		
PERTH, . . .	14·1	7·8	9	4	1	0	3	1	0	1	0	0	0	1	0	2	0	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 22.

WEEK ENDING SATURDAY, MAY 30, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 30, 1903, was 601, being at the annual rate of 18·4 per thousand of the estimated population. This rate is 0·9 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·8 per thousand; and the highest in Dundee, viz., 22·0 per thousand.

From the seven principal Epidemic diseases there resulted 70 deaths, being at the rate of 2·1 per thousand of population, or 0·5 above that for last week. Of these deaths 28 were due to Hooping-cough, of which 16 occurred in Glasgow, 6 in Edinburgh, 3 in Greenock, and 2 in Leith; 18 to the Diarrhoeal diseases; and 7 to Measles, of which 6 occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 113, being 11 above the number for the previous week.

The Mean Temperature was 55°·1, being 5°·0 above that for the week immediately preceding, and 5°·1 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 30, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending May 30, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1093	601	100	75·3	35·5	55·1	0·13
GLASGOW, . . .	12,681	786,897	62·053	9·49	557	270	39	73·4	40·2	56·3	0·19
EDINBURGH, . .	11,416	327,441	28·683	13·96	169	124	27	67·2	42·3	53·0	0·06
DUNDEE, . . .	4,162	162,805	39·117	11·95	97	69	5	70·3	39·3	54·3	0·17
ABERDEEN, . .	6,795	160,780	23·662	15·37	113	52	20	68·2	39·4	54·1	0·00
PAISLEY, . . .	3,538	82,608	23·349	15·47	52	29	4	75·3	41·5	57·7	0·23
LEITH, . . . .	2,044	79,552	38·920	11·98	42	26	0	69·3	44·6	53·2	0·12
GREENOCK, . .	1,440	69,252	48·092	10·78	41	24	3	74·1	45·0	58·3	0·18
PERTH, . . . .	2,122	33,577	15·823	18·79	22	7	2	75·0	35·5	53·7	0·12
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	956	624	102	65·0	36·0	50·0	0·69

# Week ending Saturday, MAY 30, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 30, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	18.4	2.1	601	140	113	0	7	6	5	28	6	18	1	113	20	161	22	3		
GLASGOW, . .	17.8	2.5	270	73	40	0	6	2	3	16	2	9	0	52	11	76	11	3		
EDINBURGH,	19.7	2.1	124	15	26	0	0	3	2	6	1	1	1	14	5	43	4	0		
DUNDEE, . .	22.0	1.9	69	19	11	0	0	1	0	0	1	4	0	15	3	18	0	0		
ABERDEEN, .	16.8	0.6	52	14	14	0	0	0	0	0	0	2	0	13	0	9	1	0		
PAISLEY, . .	18.3	3.1	29	8	12	0	0	0	0	1	2	2	0	6	0	6	1	0		
LEITH, . . .	17.0	2.0	26	3	4	0	1	0	0	2	0	0	0	6	0	6	0	0		
GREENOCK, .	18.0	2.3	24	7	3	0	0	0	0	3	0	0	0	6	0	2	4	0		
PERTH, . . .	10.8	0.0	7	1	3	0	0	0	0	0	0	0	0	1	1	1	1	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 31, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	19.3	1.8	624	90	158	0	13	1	4	22	2	15	2	127	32	150	22	1		
GLASGOW, .	20.6	2.1	307	39	67	0	8	1	0	14	2	6	2	72	15	60	7	1		
EDINBURGH,	17.1	1.4	106	15	29	0	2	0	3	2	0	2	0	19	7	44	8	0		
DUNDEE, . .	19.2	1.9	60	12	16	0	1	0	0	2	0	3	0	10	3	13	1	0		
ABERDEEN, .	19.1	1.3	58	10	19	0	0	0	1	2	0	1	0	10	1	17	1	0		
PAISLEY, . .	21.1	1.9	33	5	9	0	1	0	0	0	0	2	0	9	0	3	2	0		
LEITH, . . .	15.2	2.0	23	5	7	0	0	0	0	2	0	1	0	2	3	6	1	0		
GREENOCK, .	15.9	0.0	21	4	4	0	0	0	0	0	0	0	0	3	1	4	1	0		
PERTH, . . .	25.0	1.6	16	0	7	0	1	0	0	0	0	0	0	2	2	3	1	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 23.

WEEK ENDING SATURDAY, JUNE 6, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 6, 1903, was 596, being at the annual rate of 18·2 per thousand of the estimated population. This rate is 1·1 below that for the corresponding week of last year, and 0·2 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·8 per thousand; and the highest in Glasgow and Edinburgh, viz., 19·1 per thousand.

From the seven principal Epidemic diseases 65 deaths were registered, being at the rate of 2·0 per thousand, or 0·1 below that for last week. Of these deaths 25 were due to Hooping-cough, of which 16 occurred in Glasgow, 5 in Edinburgh, and 3 in Greenock; 18 to the Diarrhoeal diseases, 9 to Measles, and 7 to Scarlet Fever, of which 5 occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 111, being 2 below the number for the previous week.

The Mean Temperature was 56°·2, being 1°·1 above that for the week immediately preceding, and 4°·1 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 6, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending June 6, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1108	596	385	81·5	34·0	56·2	0·30
GLASGOW, . . .	12,681	786,897	62·053	9·49	545	289	164	72·2	39·6	56·7	0·20
EDINBURGH, . .	11,416	327,441	28·683	13·96	156	120	91	74·2	41·6	56·1	0·37
DUNDEE, . . .	4,162	162,805	39·117	11·95	108	57	30	77·8	37·5	54·6	0·43
ABERDEEN, . .	6,795	160,780	23·662	15·37	125	49	48	69·0	37·0	52·9	0·27
PAISLEY, . . .	3,538	82,608	23·349	15·47	60	24	14	75·1	42·2	59·1	0·18
LEITH, . . . .	2,044	79,552	38·920	11·98	53	25	8	78·6	45·1	58·0	0·41
GREENOCK, . .	1,440	69,252	48·092	10·78	38	25	18	67·5	43·0	55·3	0·06
PERTH, . . . .	2,122	33,577	15·823	18·79	23	7	12	81·5	34·0	57·1	0·21
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	974	623	418	74·0	41·4	52·1	0·85

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue.  
and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JUNE 6, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 6, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.2	2.0	596	135	130	0	9	7	4	25	2	18	0	111	30	145	23	2
GLASGOW, .	19.1	2.2	289	73	58	0	4	5	2	16	1	6	0	65	16	71	10	2
EDINBURGH,	19.1	2.5	120	23	28	0	4	1	0	5	0	6	0	14	7	44	7	0
DUNDEE, . .	18.2	0.6	57	7	14	0	0	0	1	1	0	0	0	12	3	10	0	0
ABERDEEN, .	15.8	1.6	49	13	16	0	0	0	0	0	0	5	0	8	2	11	2	0
PAISLEY, . .	15.1	1.3	24	6	4	0	0	1	0	0	0	1	0	5	1	3	1	0
LEITH, . . .	16.3	0.7	25	4	6	0	1	0	0	0	0	0	0	5	0	1	0	0
GREENOCK, .	18.8	3.0	25	8	4	0	0	0	0	3	1	0	0	2	1	4	3	0
PERTH, . . .	10.8	1.5	7	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 7, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	1.9	623	115	164	0	22	3	3	15	2	16	1	115	27	156	17	4
GLASGOW, .	20.7	1.7	308	61	71	0	7	1	0	13	1	4	0	65	13	70	11	3
EDINBURGH,	18.0	1.4	112	18	31	0	4	1	1	1	0	2	1	20	5	41	1	0
DUNDEE, . .	15.4	2.9	48	12	13	0	2	0	1	0	0	6	0	5	1	11	1	1
ABERDEEN, .	16.8	1.0	51	9	22	0	0	0	0	0	0	3	0	6	4	14	3	0
PAISLEY, . .	27.5	5.1	43	6	12	0	7	0	0	1	0	0	0	10	1	6	0	0
LEITH, . . .	10.6	0.0	16	1	4	0	0	0	0	0	0	0	0	3	1	3	0	0
GREENOCK, .	23.4	3.0	31	6	8	0	1	1	0	0	1	1	0	3	2	7	1	0
PERTH, . . .	21.9	3.1	14	2	3	0	1	0	1	0	0	0	0	3	0	4	0	0

WEEKLY RETURN  
OF  
BIRTHS, DEATHS, AND MARRIAGES  
IN EIGHT PRINCIPAL TOWNS OF  
SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 13, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 13, 1903, was 574, representing an annual mortality rate of 17·5 per thousand of the estimated population. This rate is 1·5 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest rate of mortality occurred in Dundee, viz., 13·7 per thousand; and the highest in Greenock, viz., 26·3 per thousand.

The seven principal Epidemic diseases accounted for 49 deaths, being at the rate of 1·5 per thousand of population, or 0·5 below that for last week. Diarrhoea and Hooping-cough each caused 20 deaths, 10 from the latter having occurred in Glasgow, and 4 in Greenock.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 75, being 36 below the number for the previous week.

The Mean Temperature was 53°·6, being 2°·6 below that for the week immediately preceding, but 4°·2 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 13, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox. imity in Yards.	Registered during the Week ending June 13, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1112	574	629	72·2	36·5	53·6	0·02
GLASGOW, . . .	12,681	786,897	62·053	9·49	574	285	295	66·8	40·6	53·3	0·00
EDINBURGH, . .	11,416	327,441	28·683	13·96	183	98	137	60·2	41·6	50·2	0·05
DUNDEE, . . .	4,162	162,805	39·117	11·95	99	43	45	65·4	40·9	53·2	0·13
ABERDEEN, . .	6,795	160,780	23·662	15·37	104	54	57	65·2	43·5	52·0	0·00
PAISLEY, . . .	3,538	82,608	23·349	15·47	50	22	30	72·0	40·0	56·7	0·00
LEITH, . . . .	2,044	79,552	38·920	11·98	42	27	30	62·7	44·1	52·5	0·01
GREENOCK, . .	1,440	69,252	48·092	10·78	47	35	16	72·2	41·0	57·1	0·00
PERTH, . . . .	2,122	33,577	15·823	18·79	13	10	19	67·0	36·5	54·1	0·00
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1016	614	595	63·8	34·0	49·4	0·58

# Week ending Saturday, JUNE 13, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 13, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	17.5	1.5	574	110	122	0	3	3	1	20	2	20	0	75	29	150	23	2		
GLASGOW, .	18.8	1.7	285	59	52	0	1	1	0	10	2	11	0	45	14	83	9	1		
EDINBURGH,	15.6	1.3	98	16	27	0	1	0	1	3	0	3	0	8	5	37	6	0		
DUNDEE, . .	13.7	0.6	43	7	8	0	0	0	0	1	0	1	0	4	2	10	0	0		
ABERDEEN, .	17.5	1.6	54	11	16	0	0	1	0	1	0	3	0	10	1	9	1	0		
PAISLEY, . .	13.8	2.5	22	4	3	0	1	1	0	1	0	1	0	0	0	2	1	0		
LEITH, . . .	17.6	0.0	27	8	6	0	0	0	0	0	0	0	0	1	1	3	0	0		
GREENOCK, .	26.3	3.0	35	4	7	0	0	0	0	4	0	0	0	6	5	5	5	1		
PERTH, . . .	15.5	1.5	10	1	3	0	0	0	0	0	0	1	0	1	1	1	1	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 14, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.0	2.1	614	115	136	0	18	4	3	21	4	18	3	126	34	157	27	5
GLASGOW, .	20.3	2.5	303	49	52	0	10	2	2	13	2	9	3	68	17	74	12	4
EDINBURGH,	19.8	1.4	123	20	37	0	3	0	0	4	1	1	0	20	8	44	8	0
DUNDEE, . .	20.5	3.2	64	19	13	0	1	1	0	2	0	6	0	18	4	13	0	0
ABERDEEN, .	15.2	0.3	46	10	13	0	0	0	1	0	0	0	0	5	2	11	1	1
PAISLEY, . .	18.6	2.6	29	6	7	0	1	0	0	2	0	1	0	6	2	6	5	0
LEITH, . . .	13.9	0.7	21	6	5	0	1	0	0	0	0	0	0	2	0	4	1	0
GREENOCK, .	14.4	3.0	19	4	5	0	1	1	0	0	1	1	0	6	1	2	0	0
PERTH, . . .	14.1	1.6	9	1	4	0	1	0	0	0	0	0	0	1	0	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 20, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 20, 1903, was 558, representing an annual mortality rate of 17·0 per thousand of the estimated population. This rate is 0·6 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 13·7 per thousand; and the highest in Perth, viz., 20·1 per thousand.

The seven principal Epidemic diseases accounted for 47 deaths, being at the rate of 1·4 per thousand of population, or 0·1 below that for last week. Sixteen of these deaths were due to Hooping-cough; 14 to the Diarrhoeal diseases, and 9 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 73, being 2 less than the number for the previous week.

The Mean Temperature was 49°·4, being 4°·2 below that for the week immediately preceding, and 1°·3 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 20, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending June 20, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1083	558	464	66·0	32·5	49·4	0·18
GLASGOW, . . .	12,681	786,897	62·053	9·49	533	271	223	59·5	36·8	48·6	0·14
EDINBURGH, . .	11,416	327,441	28·683	13·96	171	103	99	56·6	39·7	47·7	0·20
DUNDEE, . . .	4,162	162,805	39·117	11·95	112	57	33	65·4	36·5	49·2	0·27
ABERDEEN, . .	6,795	160,780	23·662	15·37	102	47	38	62·0	33·6	48·1	0·17
PAISLEY, . . .	3,538	82,608	23·349	15·47	53	23	16	65·2	38·0	51·7	0·09
LEITH, . . . .	2,044	79,552	38·920	11·98	52	21	30	59·2	42·9	50·4	0·30
GREENOCK, . .	1,440	69,252	48·092	10·78	41	23	16	63·7	40·2	50·8	0·03
PERTH, . . . .	2,122	33,577	15·823	18·79	19	13	9	66·0	32·5	48·7	0·23
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1031	531	477	69·8	30·5	50·7	0·20

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JUNE 20, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 20, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	17.0	1.4	558	104	137	0	9	4	1	16	3	14	0	73	20	160	19	4		
GLASGOW, .	17.9	1.8	271	59	50	0	4	1	1	8	2	11	0	34	12	82	12	4		
EDINBURGH,	16.4	1.6	103	20	28	0	3	2	0	4	0	1	0	12	3	35	3	0		
DUNDEE, . .	18.2	0.3	57	7	19	0	0	0	0	0	0	1	0	12	1	12	1	0		
ABERDEEN, .	15.2	0.3	47	6	13	0	0	0	0	1	0	0	0	6	1	14	2	0		
PAISLEY, . .	14.5	3.1	23	5	7	0	2	1	0	2	0	0	0	3	0	6	0	0		
LEITH, . . .	13.7	0.0	21	2	8	0	0	0	0	0	0	0	0	2	0	3	0	0		
GREENOCK, .	17.3	2.3	23	4	7	0	0	0	0	1	1	1	0	4	3	4	1	0		
PERTH, . . .	20.1	0.0	13	1	5	0	0	0	0	0	0	0	0	0	0	4	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 21, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	16.4	1.7	531	99	128	*1	18	4	2	13	0	17	1	95	21	128	26	1		
GLASGOW, .	18.1	1.8	270	53	65	*1	7	1	1	4	0	13	1	54	11	63	12	1		
EDINBURGH,	15.0	1.4	93	16	22	0	4	1	0	3	0	1	0	12	6	27	9	0		
DUNDEE, . .	13.5	1.0	42	9	10	0	0	1	1	0	0	1	0	8	1	9	0	0		
ABERDEEN, .	14.9	0.7	45	12	8	0	0	0	0	2	0	0	0	9	2	13	2	0		
PAISLEY, . .	19.2	5.1	30	3	7	0	4	1	0	2	0	1	0	6	0	6	1	0		
LEITH, . . .	12.6	0.7	19	3	6	0	1	0	0	0	0	0	0	0	0	3	2	0		
GREENOCK, .	17.4	0.8	23	2	10	0	0	0	0	0	0	1	0	4	1	5	0	0		
PERTH, . . .	14.1	6.2	9	1	0	0	2	0	0	2	0	0	0	2	0	2	0	0		

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 26. WEEK ENDING SATURDAY, JUNE 27, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 27, 1903, was 627, representing an annual mortality rate of 19·1 per thousand of the estimated population. This rate is 0·1 below that for the corresponding week of last year, but 2·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 12·0 per thousand; and the highest in Greenock, viz., 21·8 per thousand.

The seven principal Epidemic diseases accounted for 65 deaths, being at the rate of 2·0 per thousand of population, or 0·6 above that for last week. Hooping-cough was the most fatal of these diseases, having caused 28 deaths, of which 15 occurred in Glasgow, 6 in Edinburgh, and 5 in Greenock. Sixteen deaths were due to the Diarrhœal diseases, and 13 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being 19 above the number for the previous week.

The Mean Temperature was 56°·6, being 7°·2 above that for the week immediately preceding, but 3°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 27, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending June 27, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1046	627	475	71·4	35·0	56·6	0·92
GLASGOW, . . .	12,681	786,897	62·053	9·49	523	323	226	69·5	38·9	57·2	1·36
EDINBURGH, . .	11,416	327,441	28·683	13·96	180	119	97	66·7	43·7	56·9	0·44
DUNDEE, . . .	4,162	162,805	39·117	11·95	93	57	30	71·4	40·1	56·6	0·96
ABERDEEN, . .	6,795	160,780	23·662	15·37	94	37	54	63·4	37·2	53·4	0·51
PAISLEY, . . .	3,538	82,608	23·349	15·47	59	30	20	68·1	39·1	58·0	1·72
LEITH, . . . .	2,044	79,552	38·920	11·98	35	20	10	67·8	46·2	58·8	0·65
GREENOCK, . .	1,440	69,252	48·092	10·78	45	29	25	65·7	42·5	56·8	1·31
PERTH, . . . .	2,122	33,577	15·823	18·79	17	12	13	68·5	35·0	55·3	0·39
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	904	620	599	86·2	41·7	59·8	0·17

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JUNE 27, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 27, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.1	2.0	627	134	138	0	13	3	4	28	1	16	0	92	19	151	31
GLASGOW, . .	21.3	2.4	323	73	55	0	9	1	2	15	0	9	0	42	6	75	16
EDINBURGH, .	18.9	1.7	119	20	36	0	2	0	2	6	1	0	0	18	3	44	6
DUNDEE, . .	18.2	1.3	57	10	16	0	0	1	0	0	0	3	0	10	5	7	3
ABERDEEN, .	12.0	0.6	37	12	11	0	0	0	0	0	0	2	0	10	1	6	3
PAISLEY, . .	18.9	3.8	30	7	7	0	2	1	0	1	0	2	0	4	0	6	1
LEITH, . . .	13.1	0.7	20	4	2	0	0	0	0	1	0	0	0	3	3	8	1
GREENOCK, .	21.8	3.8	29	5	8	0	0	0	0	5	0	0	0	4	0	2	0
PERTH, . . .	18.6	0.0	12	3	3	0	0	0	0	0	0	0	0	1	1	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 28, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.2	1.8	620	121	166	0	15	4	4	14	4	16	1	100	27	148	24
GLASGOW, . .	18.5	1.2	276	56	65	0	3	4	0	3	1	7	1	54	8	65	10
EDINBURGH, .	18.0	2.9	112	21	23	0	6	0	2	4	2	4	0	11	10	38	3
DUNDEE, . .	20.5	1.3	64	18	22	0	2	0	0	1	1	0	0	17	2	11	2
ABERDEEN, .	17.8	2.6	54	12	17	0	0	0	2	2	0	4	0	2	2	16	1
PAISLEY, . .	24.3	3.2	38	5	12	0	3	0	0	2	0	0	0	6	2	4	6
LEITH, . . .	15.9	0.0	24	1	12	0	0	0	0	0	0	0	0	3	1	11	0
GREENOCK, .	25.0	1.5	33	6	7	0	1	0	0	0	0	1	0	5	1	1	1
PERTH, . . .	29.7	3.1	19	2	8	0	0	0	0	2	0	0	0	2	1	2	1

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 4, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 4, 1903, was 533, representing an annual mortality rate of 16·3 per thousand of the estimated population. This rate is the same as that for the corresponding week of last year, but 2·8 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Dundee, viz., 8·9 per thousand; and the highest in Paisley, viz., 20·8 per thousand.

The seven principal Epidemic diseases accounted for 58 deaths, being at the rate of 1·8 per thousand of population, or 0·2 below that for last week. Eighteen of these deaths were due to Hooping-cough, of which 12 occurred in Glasgow and 4 in Greenock, and 17 to the Diarrhœal diseases.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 85, being 7 below the number for the previous week.

The Mean Temperature was 59°·8, being 3°·2 above that for the week immediately preceding, and 1°·9 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 4, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending July 4, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1012	533	480	76·6	46·0	59·8	0·96
GLASGOW, . . .	12,681	786,897	62·053	9·49	509	255	240	75·6	47·6	59·9	0·41
EDINBURGH, . .	11,416	327,441	28·683	13·96	170	112	102	74·6	49·1	59·7	0·08
DUNDEE, . . .	4,162	162,805	39·117	11·95	83	28	30	72·4	49·9	59·9	0·64
ABERDEEN, . .	6,795	160,780	23·662	15·37	105	51	36	74·2	48·0	60·6	0·74
PAISLEY, . . .	3,538	82,608	23·349	15·47	48	33	8	73·3	50·9	60·1	1·34
LEITH, . . . .	2,044	79,552	38·920	11·98	48	19	23	76·6	51·2	61·3	0·31
GREENOCK, . .	1,440	69,252	48·092	10·78	32	22	35	70·2	46·0	57·6	2·63
PERTH, . . . .	2,122	33,577	15·823	18·79	17	13	6	71·0	47·0	59·4	1·52
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1081	528	507	79·0	38·0	57·9	0·33

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1903. 28/2098.

[TURN OVER.]

Week ending Saturday, JULY 4, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 4, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic Diseases.		Deaths of			Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.		
In Eight Towns,	16.3	1.8	533	125	124	0	6	7	4	18	6	17	1	85	18	134	28	2		
GLASGOW, .	16.9	1.9	255	66	44	0	3	3	1	12	2	8	0	50	10	65	16	2		
EDINBURGH,	17.8	1.9	112	21	36	0	1	1	3	2	2	3	0	18	4	35	9	0		
DUNDEE, . .	8.9	0.3	28	3	13	0	0	0	0	0	1	0	0	2	0	8	0	0		
ABERDEEN, .	16.5	1.0	51	12	14	0	0	1	0	0	0	2	1	8	0	11	0	0		
PAISLEY, . .	20.8	3.8	33	10	6	0	2	2	0	0	0	2	0	2	0	7	1	0		
LEITH, . . .	12.4	0.7	19	6	1	0	0	0	0	0	0	1	0	2	2	2	1	0		
GREENOCK, .	16.5	3.8	22	6	5	0	0	0	0	4	1	0	0	2	2	3	1	0		
PERTH, . . .	20.1	1.5	13	1	5	0	0	0	0	0	0	1	0	1	0	3	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 5, 1902.

[illegible]

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 28.      WEEK ENDING SATURDAY, JULY 11, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 11, 1903, was 531, representing an annual mortality rate of 16·2 per thousand of the estimated population. This rate is the same as that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·8 per thousand; and the highest in Greenock, viz., 23·3 per thousand.

The seven principal Epidemic diseases accounted for 82 deaths, being at the rate of 2·5 per thousand of population, or 0·7 above that for last week. Thirty-one of these deaths were due to the Diarrhœal diseases; 18 to Hooping-cough, of which 10 occurred in Glasgow and 3 in Greenock; and 13 to Measles, of which 5 occurred in Paisley. One death from Small-pox was registered in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 90, being 5 above the number for the previous week.

The Mean Temperature was 58°·0, being 1°·8 below that for the week immediately preceding, but 1°·5 above that for the corresponding week of last year.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 11, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending July 11, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1028	531	375	75·8	41·0	58·0	0·73
GLASGOW, . . .	12,681	786,897	62·053	9·49	512	250	171	74·2	43·8	58·1	0·49
EDINBURGH, . .	11,416	327,441	28·683	13·96	146	87	62	72·2	42·5	57·0	0·33
DUNDEE, . . .	4,162	162,805	39·117	11·95	109	49	16	75·8	43·4	58·8	0·74
ABERDEEN, . .	6,795	160,780	23·662	15·37	101	47	46	...	...	...	...
PAISLEY, . . .	3,538	82,608	23·349	15·47	39	36	23	74·9	44·2	59·2	0·58
LEITH, . . . .	2,044	79,552	38·920	11·98	51	24	13	73·9	43·1	59·0	0·33
GREENOCK, . .	1,440	69,252	48·092	10·78	51	31	24	72·0	43·5	55·8	0·90
PERTH, . . . .	2,122	33,577	15·823	18·79	19	7	20	74·0	41·0	58·2	1·72
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	998	523	266	72·4	40·0	56·5	0·92

# Week ending Saturday, JULY 11, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 11, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16·2	2·5	531	124	129	1	13	6	4	18	9	31	0	90	21	127	25
GLASGOW, .	16·5	2·2	250	71	45	0	5	1	1	10	2	15	0	47	15	55	12
EDINBURGH,	13·8	2·1	87	13	27	1	3	2	2	1	2	2	0	12	2	31	7
DUNDEE, . .	15·6	2·2	49	6	15	0	0	0	0	2	1	4	0	6	1	12	0
ABERDEEN, .	15·2	2·3	47	16	12	0	0	0	0	1	1	5	0	10	0	8	1
PAISLEY, . .	22·7	6·3	36	8	8	0	5	2	1	0	0	2	0	7	1	7	3
LEITH, . . .	15·7	3·3	24	4	6	0	0	0	0	1	1	3	0	2	1	5	0
GREENOCK, .	23·3	4·5	31	5	13	0	0	1	0	3	2	0	0	6	0	7	1
PERTH, . . .	10·8	0·0	7	1	3	0	0	0	0	0	0	0	0	0	1	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 12, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16·2	1·9	523	113	111	0	22	2	3	14	6	15	0	74	18	128	19
GLASGOW, .	16·2	1·3	241	52	45	0	4	1	1	3	3	8	0	38	9	61	8
EDINBURGH,	17·9	3·9	111	28	28	0	12	0	1	6	1	4	0	13	3	33	6
DUNDEE, . .	15·7	1·0	49	10	9	0	0	1	0	1	0	1	0	9	0	10	1
ABERDEEN, .	13·5	1·7	41	13	12	0	0	0	0	3	0	2	0	4	3	6	1
PAISLEY, . .	19·2	3·8	30	4	5	0	3	0	0	1	2	0	0	4	1	4	3
LEITH, . . .	14·6	0·0	22	3	6	0	0	0	0	0	0	0	0	3	1	5	0
GREENOCK, .	14·4	1·5	19	3	3	0	2	0	0	0	0	0	0	2	1	5	0
PERTH, . . .	15·6	3·1	10	0	3	0	1	0	1	0	0	0	0	1	0	4	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 18, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 18, 1903, was 497, representing an annual mortality rate of 15·2 per thousand of the estimated population. This rate is 0·5 above that for the corresponding week of last year, but 1·0 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 12·3 per thousand; and the highest in Paisley, viz., 18·9 per thousand.

The seven principal Epidemic diseases accounted for 57 deaths, being at the rate of 1·7 per thousand of population, or 0·8 above that for last week. Of these deaths 22 were due to the Diarrhoeal diseases, 15 to Hooping-cough, and 11 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, being 18 below the number for the previous week.

The Mean Temperature was 53°·8, being 4°·2 below that for the week immediately preceding, and 4°·4 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 18, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending July 18, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	984	497	470	68·0	39·0	53·8	1·97
GLASGOW, . . .	12,681	786,897	62·053	9·49	491	225	247	63·2	42·2	55·0	2·04
EDINBURGH, . .	11,416	327,441	28·683	13·96	169	94	89	61·4	44·5	52·4	1·99
DUNDEE, . . .	4,162	162,805	39·117	11·95	85	55	18	64·8	43·6	54·1	2·38
ABERDEEN, . .	6,795	160,780	23·662	15·37	96	38	58	60·0	39·0	52·3	1·50
PAISLEY, . . .	3,538	82,608	23·349	15·47	49	30	20	68·0	43·2	55·5	2·08
LEITH, . . . .	2,044	79,552	38·920	11·98	43	25	17	63·7	47·6	54·1	2·13
GREENOCK, . .	1,440	69,252	48·092	10·78	39	22	17	64·5	47·0*	54·3*	1·77
PERTH, . . . .	2,122	33,577	15·823	18·79	12	8	4	65·0	39·0	52·8	1·86
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	966	475	320	78·0	39·0	58·2	0·25

\* Owing to the thermometer being out of order, the minimum temperatures at Greenock on the 13th, 14th, and 15th could not be given.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, JULY 18, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 18, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.2	1.7	497	93	120	0	11	2	4	15	3	22	1	72	21	121	18	3
GLASGOW, .	14.9	2.1	225	41	48	0	6	1	3	6	1	15	0	38	10	60	6	3
EDINBURGH,	14.9	1.6	94	15	24	0	3	1	0	3	1	2	0	13	1	30	7	0
DUNDEE, . .	17.6	1.6	55	11	13	0	0	0	0	1	1	3	0	4	3	10	1	0
ABERDEEN, .	12.3	0.3	38	7	14	0	0	0	0	0	0	1	0	3	4	4	1	0
PAISLEY, . .	18.9	2.5	30	6	8	0	2	0	0	2	0	0	0	3	0	7	2	0
LEITH, . . .	16.3	1.3	25	5	6	0	0	0	0	1	0	1	0	5	2	7	0	0
GREENOCK, .	16.5	2.3	22	7	4	0	0	0	1	2	0	0	1	5	1	2	1	0
PERTH, . . .	12.4	0.0	8	1	3	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 19, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.7	1.4	475	93	104	0	15	1	0	15	0	13	0	62	25	121	25	0
GLASGOW, .	13.7	1.1	205	39	48	0	4	0	0	7	0	6	0	28	12	51	14	0
EDINBURGH,	15.3	1.9	95	16	23	0	7	1	0	2	0	2	0	12	5	28	6	0
DUNDEE, . .	20.2	2.2	63	13	10	0	2	0	0	3	0	2	0	8	4	13	1	0
ABERDEEN, .	14.2	1.3	43	10	11	0	0	0	0	2	0	2	0	6	3	14	1	0
PAISLEY, . .	14.1	1.3	22	5	3	0	1	0	0	1	0	0	0	2	0	7	0	0
LEITH, . . .	13.2	0.0	20	4	4	0	0	0	0	0	0	0	0	2	1	3	0	0
GREENOCK, .	13.6	0.8	18	5	3	0	1	0	0	0	0	0	0	3	0	0	3	0
PERTH, . . .	14.1	1.6	9	1	2	0	0	0	0	0	0	1	0	1	0	5	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 30:                      WEEK ENDING SATURDAY, JULY 25, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 25, 1903, was 503, being at the annual rate of 15·4 per thousand of the estimated population. This rate is 0·4 below that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest rate of mortality occurred in Leith, viz., 11·1 per thousand; and the highest in Paisley, viz., 19·5 per thousand.

From the seven principal Epidemic diseases there resulted 62 deaths, being at the rate of 1·9 per thousand of population, or 0·2 above that for last week. Of these deaths 34 were due to the Diarrhoeal diseases, 11 to Hooping-cough, and 7 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 78, being 6 above the number for the previous week.

The Mean Temperature was 57·4, being 3·6 above that for the week immediately preceding, and 4·9 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 25, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending July 25, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	946	503	648	73·0	37·0	57·4	0·40
GLASGOW, . . .	12,681	786,897	62·053	9·49	455	255	370	72·3	43·8	57·0	0·25
EDINBURGH, . .	11,416	327,441	28·683	13·96	173	89	130	69·1	45·0	57·4	0·10
DUNDEE, . . . .	4,162	162,805	39·117	11·95	97	40	53	72·4	39·4	57·6	0·61
ABERDEEN, . . .	6,795	160,780	23·662	15·37	87	45	37	67·6	45·0	55·3	0·45
PAISLEY, . . . .	3,538	82,608	23·349	15·47	43	31	20	72·5	46·0	58·9	0·59
LEITH, . . . . .	2,044	79,552	38·920	11·98	38	17	22	71·9	46·3	59·1	0·24
GREENOCK, . . .	1,440	69,252	48·092	10·78	36	16	9	67·7	46·0	56·8	0·73
PERTH, . . . . .	2,122	33,577	15·823	18·79	17	10	7	73·0	37·0	57·3	0·20
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	943	512	613	70·7	37·0	52·5	1·35

# Week ending Saturday, JULY 25, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 25, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.4	1.9	503	109	107	0	7	4	0	11	6	34	1	78	28	140	14
GLASGOW, .	16.9	1.8	255	56	45	0	4	3	0	6	3	11	0	49	19	75	7
EDINBURGH,	14.1	2.7	89	23	17	0	1	1	0	4	2	9	0	8	2	31	5
DUNDEE, . .	12.8	1.6	40	10	10	0	0	0	0	0	0	5	0	6	0	11	0
ABERDEEN, .	14.6	0.6	45	6	17	0	0	0	0	0	0	2	1	4	3	12	1
PAISLEY, . .	19.5	3.8	31	4	7	0	2	0	0	0	1	3	0	5	1	6	0
LEITH, . . .	11.1	0.7	17	6	3	0	0	0	0	0	0	1	0	1	0	3	0
GREENOCK, .	12.0	2.3	16	2	2	0	0	0	0	1	0	2	0	1	2	0	0
PERTH, . . .	15.5	1.5	10	2	6	0	0	0	0	0	0	1	0	4	1	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 26, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.8	1.8	512	95	121	*2	10	6	4	13	1	21	1	79	24	144	17
GLASGOW, .	18.1	1.8	270	58	51	0	0	5	2	7	0	13	0	54	14	64	12
EDINBURGH,	15.6	1.9	97	16	23	*2	7	0	0	3	0	0	1	9	4	37	2
DUNDEE, . .	17.3	3.2	54	7	17	0	2	0	0	1	1	6	0	11	1	9	0
ABERDEEN, .	10.9	0.7	33	5	11	0	0	0	1	0	0	1	0	0	2	15	2
PAISLEY, . .	8.3	1.3	13	1	4	0	1	0	0	1	0	0	0	0	0	6	1
LEITH, . . .	11.2	1.3	17	4	4	0	0	0	0	1	0	1	0	2	1	6	0
GREENOCK, .	12.9	1.5	17	4	2	0	0	1	1	0	0	0	0	1	2	2	0
PERTH, . . .	17.2	0.0	11	0	9	0	0	0	0	0	0	0	0	2	0	5	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 1, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 1, 1903, was 480, being at the annual rate of 14·7 per thousand of the estimated population. This rate is 1·9 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·8 per thousand; and the highest in Greenock, viz., 18·0 per thousand.

From the seven principal Epidemic diseases 64 deaths were registered, being at the rate of 2·0 per thousand of population, or 0·1 above that for last week. Of these deaths 28 were due to the Diarrhoeal diseases, 15 to Hooping-cough, and 6 to Measles. One death from Small-pox occurred in Greenock.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 68, being 10 below the number for the previous week.

Twenty-two deaths in Glasgow resulted from Violence, 13 of these having occurred in St Enoch Station, from the railway accident on the 27th of last month.

The Mean Temperature was 57°·4, being the same as that for the week immediately preceding, and 2°·4 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 1, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Aug. 1, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	934	480	338	71·8	43·0	57·4	1·13
GLASGOW, . . .	12,681	786,897	62·053	9·49	487	225	72	67·2	45·6	56·4	0·65
EDINBURGH, . .	11,416	327,441	28·683	13·96	166	97	85	66·8	48·4	57·0	2·09
DUNDEE, . . .	4,162	162,805	39·117	11·95	60	47	117	71·8	46·4	58·0	1·22
ABERDEEN, . .	6,795	160,780	23·662	15·37	85	38	29	66·0	46·8	55·7	1·15
PAISLEY, . . .	3,538	82,608	23·349	15·47	44	23	10	69·1	48·3	58·3	0·92
LEITH, . . . .	2,044	79,552	38·920	11·98	38	19	16	70·7	50·8	58·9	1·32
GREENOCK, . .	1,440	69,252	48·092	10·78	42	24	5	69·9	48·0	57·1	0·83
PERTH, . . . .	2,122	33,577	15·823	18·79	12	7	4	71·0	43·0	57·8	0·89
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	953	535	357	67·0	39·0	55·0	0·34

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, AUGUST 1, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 1, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.7	2.0	480	108	109	2	6	3	5	15	5	28	1	68	33	137	29	4
GLASGOW, .	14.9	2.3	225	47	45	*1	2	2	4	8	3	15	1	33	22	69	19	3
EDINBURGH,	15.4	1.4	97	25	21	0	3	1	1	1	0	3	0	12	4	34	3	0
DUNDEE, . .	15.0	1.9	47	11	9	0	0	0	0	1	1	4	0	9	3	9	0	0
ABERDEEN, .	12.3	1.6	38	9	15	0	0	0	0	2	0	3	0	5	2	9	1	0
PAISLEY, . .	14.5	3.1	23	6	3	0	1	0	0	1	0	3	0	5	0	5	0	0
LEITH, . . .	12.4	2.0	19	4	6	0	0	0	0	2	1	0	0	3	0	9	2	0
GREENOCK, .	18.0	0.8	24	5	7	1	0	0	0	0	0	0	0	1	2	2	4	1
PERTH, . . .	10.8	0.0	7	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0

\* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 2, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.6	1.5	535	110	120	0	12	3	4	7	3	19	0	79	22	136	29	3
GLASGOW, .	16.8	1.5	250	54	49	0	3	2	3	4	1	9	0	33	14	68	18	2
EDINBURGH,	16.7	1.9	104	13	29	0	8	0	1	1	0	2	0	18	4	32	5	0
DUNDEE, . .	18.9	2.2	59	16	17	0	0	0	0	1	0	6	0	11	0	12	1	0
ABERDEEN, .	16.2	0.0	49	9	14	0	0	0	0	0	0	0	0	6	2	12	2	1
PAISLEY, . .	16.0	0.6	25	5	3	0	0	0	0	0	1	0	0	2	0	3	2	0
LEITH, . . .	9.9	0.7	15	5	4	0	0	0	0	1	0	0	0	0	0	2	0	0
GREENOCK, .	18.2	3.0	24	7	3	0	0	1	0	0	1	2	0	6	2	4	1	0
PERTH, . . .	14.1	1.6	9	1	1	0	1	0	0	0	0	0	0	3	0	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 32.

WEEK ENDING SATURDAY, AUGUST 8, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 8, 1903, was 478, being at the annual rate of 14·6 per thousand of the estimated population. This rate is 0·7 above that for the corresponding week of last year, but 0·1 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Paisley, viz., 11·3 per thousand; and the highest in Greenock, viz., 20·3 per thousand.

From the seven principal Epidemic diseases 60 deaths were registered, being at the rate of 1·8 per thousand of population, or 0·2 below that for last week. Of these deaths, the Diarrhoeal diseases accounted for 34, of which 21 occurred in Glasgow; Scarlet Fever for 6; Diphtheria for 4; and Fevers for 6, of which 5 occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 54, being 14 below the number for the previous week.

The Mean Temperature was 57°·5, being 0·1 above that for the week immediately preceding, and 3°·3 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 8, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Aug. 8, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38 529	12·04	971	478	235	69·3	44·2	57·5	1·28
GLASGOW, . . .	12,681	786,897	62·053	9·49	493	237	80	65·5	50·2	58·1	1·00
EDINBURGH, . .	11,416	327,441	28·683	13·96	158	79	72	64·2	48·7	56·6	0·43
DUNDEE, . . .	4,162	162,805	39·117	11·95	91	42	20	69·3	45·5	57·9	1·26
ABERDEEN, . .	6,795	160,780	23·662	15·37	91	36	20	68·4	44·2	56·9	1·27
PAISLEY, . . .	3,538	82,608	23·349	15·47	47	18	8	66·4	49·9	58·5	1·64
LEITH, . . . .	2,044	79,552	38·920	11·98	39	29	15	66·3	50·8	58·4	1·60
GREENOCK, . .	1,440	69,252	48·092	10·78	33	27	8	63·8	48·5	56·1	1·99
PERTH, . . . .	2,122	33,577	15·823	18·79	19	10	12	66·5	44·5	57·5	1·03
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	887	449	226	71·5	44·0	54·2	0·38

Week ending **Saturday, AUGUST 8, 1903.**

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 8, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	14·6	1·8	478	112	113	0	5	6	4	5	6	34	0	54	22	102	18	3	
GLASGOW, .	15·7	2·4	237	58	47	0	4	2	1	4	5	21	0	26	14	52	9	1	
EDINBURGH,	12·5	1·3	79	20	20	0	1	2	2	0	0	3	0	10	1	17	5	0	
DUNDEE, . .	13·4	1·3	42	9	15	0	0	0	0	0	0	4	0	8	4	8	0	0	
ABERDEEN, .	11·6	0·3	36	7	15	0	0	0	1	0	0	0	0	5	0	9	1	0	
PAISLEY, . .	11·3	0·6	18	3	4	0	0	1	0	0	0	0	0	0	0	1	0	0	
LEITH, . . .	19·0	2·0	29	7	6	0	0	0	0	0	0	3	0	1	1	5	3	2	
GREENOCK, .	20·3	4·5	27	7	2	0	0	1	0	1	1	3	0	2	2	6	0	0	
PERTH, . . .	15·5	0·0	10	1	4	0	0	0	0	0	0	0	0	2	0	4	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, August 9, 1902.

[illegible]

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 15, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 15, 1903, was 505, representing an annual mortality rate of 15·4 per thousand of the estimated population. This rate is 0·3 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh, viz., 12·2 per thousand; and the highest in Greenock, viz., 18·8 per thousand.

From the seven principal Epidemic diseases 69 deaths were registered, being at the rate of 2·1 per thousand of the estimated population, or 0·3 above that for last week. Of these deaths, 45 were due to the Diarrhoeal diseases; 12 to Hooping-cough, of which 8 occurred in Glasgow; 5 to Measles, of which 4 occurred in Glasgow; and 3 to Scarlet Fever, all of which occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 50, being 4 below the number for the previous week.

The Mean Temperature was 55°·8, being 1°·7 below that for the week immediately preceding, but 0°·8 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 15, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1905.	Prox-imity in Yards.	Registered during the Week ending Aug. 15, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	944	505	214	69·4	38·0	55·8	1·31
GLASGOW, . . .	12,681	786,897	62·053	9·49	457	247	95	66·8	44·0	56·3	1·33
EDINBURGH, . .	11,416	327,441	28·683	13·96	155	77	54	63·9	44·8	55·9	0·26
DUNDEE, . . .	4,162	162,805	39·117	11·95	94	42	21	69·4	42·1	55·7	1·53
ABERDEEN, . .	6,795	160,780	23·662	15·37	93	52	17	65·4	42·0	54·9	1·21
PAISLEY, . . .	3,538	82,608	23·349	15·47	42	28	14	...	...	...	...
LEITH, . . . .	2,044	79,552	38·920	11·98	44	25	9	66·8	46·4	57·0	0·88
GREENOCK, . .	1,440	69,252	48·092	10·78	47	25	3	64·5	44·5	55·4	2·77
PERTH, . . . .	2,122	33,577	15·823	18·79	12	9	1	69·0	38·0	55·5	1·20
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	1008	507	236	73·3	36·0	55·0	0·12

# Week ending Saturday, AUGUST 15, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 15, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	15·4	2·1	505	128	104	0	5	3	1	12	3	45	0	50	24	147	17	4	
GLASGOW, .	16·3	2·5	247	67	37	0	4	0	1	8	1	24	0	25	12	71	7	3	
EDINBURGH,	12·2	1·3	77	14	23	0	1	3	0	2	0	2	0	5	2	27	4	0	
DUNDEE, . .	13·4	2·2	42	10	13	0	0	0	0	1	1	5	0	1	3	9	0	0	
ABERDEEN, .	16·8	1·3	52	16	11	0	0	0	0	1	0	3	0	5	3	13	3	0	
PAISLEY, . .	17·6	2·5	28	8	7	0	0	0	0	0	1	3	0	5	1	10	1	0	
LEITH, . . .	16·3	2·6	25	7	3	0	0	0	0	0	0	4	0	4	2	10	0	0	
GREENOCK, .	18·8	3·0	25	6	8	0	0	0	0	0	0	4	0	2	1	1	2	1	
PERTH, . . .	13·9	0·0	9	0	2	0	0	0	0	0	0	0	0	3	0	6	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 16, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	15·7	2·0	507	93	115	*1	9	1	1	25	5	23	1	72	26	127	17	1		
GLASGOW, .	15·2	2·0	226	36	39	0	2	1	0	14	2	11	1	42	17	59	6	1		
EDINBURGH,	15·9	1·4	99	18	32	0	2	0	0	2	2	3	0	12	3	33	5	0		
DUNDEE, . .	14·1	1·3	44	7	9	0	0	0	0	2	0	2	0	7	2	12	0	0		
ABERDEEN, .	17·5	3·0	53	12	15	0	0	0	0	5	0	4	0	5	2	11	2	0		
PAISLEY, . .	19·2	3·8	30	10	4	0	5	0	1	0	0	0	0	2	1	5	3	0		
LEITH, . . .	11·9	2·6	18	4	4	0	0	0	0	2	0	2	0	0	0	2	0	0		
GREENOCK, .	21·2	2·3	28	6	9	*1	0	0	0	0	1	1	0	4	1	2	1	0		
PERTH, . . .	14·1	0·0	9	0	3	0	0	0	0	0	0	0	0	0	0	3	0	0		

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 22, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 22, 1903, was 493, giving an annual mortality rate of 15·1 per thousand of the estimated population. This rate is 0·7 above that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest rate of mortality occurred in Greenock, viz., 12·8 per thousand; and the highest in Dundee, viz., 17·2 per thousand.

The seven principal Epidemic diseases accounted for 96 deaths, being at the rate of 3·0 per thousand of the estimated population, or 0·9 above that for last week. Of these deaths, 65 were due to the Diarrheal diseases, of which 38 occurred in Glasgow, 8 in Dundee, and 5 in Paisley; 9 each to Hooping-cough and Fevers; 6 each to Measles and Diphtheria; and one to Small-pox in Greenock.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 51, being one more than the number for last week.

The Mean Temperature was 54°·5, being 1°·3 below that for the week immediately preceding, and 1°·1 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 22, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Proximity in Yards.	Registered during the Week ending Aug. 22, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	903	493	219	66·8	39·0	54·5	0·35
GLASGOW, . . .	12,681	786,897	62·053	9·49	425	232	88	66·8	44·2	55·2	0·32
EDINBURGH, . .	11,416	327,441	28·683	13·96	148	85	36	61·9	45·1	54·2	0·32
DUNDEE, . . .	4,162	162,805	39·117	11·95	83	54	14	66·2	42·2	54·9	0·14
ABERDEEN, . .	6,795	160,780	23·662	15·37	91	47	19	65·4	40·3	52·8	0·69
PAISLEY, . . .	3,538	82,608	23·349	15·47	61	26	46	66·0	45·1	55·7	0·48
LEITH, . . . .	2,044	79,552	38·920	11·98	42	22	4	65·4	46·8	56·5	0·18
GREENOCK, . .	1,440	69,252	48·092	10·78	36	17	5	63·0	43·9	53·8	0·44
PERTH, . . . .	2,122	33,577	15·823	18·79	17	10	7	64·0	39·0	53·0	0·23
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	961	464	276	71·9	37·0	55·6	1·60

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.		The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.			Deaths of		Deaths from												
					Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.1	3.0	493	142	106	1	6	0	6	9	9	65	0	51	16	119	17	2	
GLASGOW, .	15.3	3.4	232	74	46	0	3	0	2	4	5	38	0	26	6	58	10	2	
EDINBURGH,	13.5	2.2	85	21	20	0	1	0	3	2	2	6	0	6	3	32	2	0	
DUNDEE, . .	17.2	3.8	54	20	8	0	0	0	0	2	2	8	0	8	0	3	0	0	
ABERDEEN, .	15.2	1.3	47	6	17	0	0	0	1	0	0	3	0	7	0	11	1	0	
PAISLEY, . .	16.4	4.4	26	11	6	0	2	0	0	0	0	5	0	1	2	4	1	0	
LEITH, . . .	14.4	2.0	22	6	4	0	0	0	0	0	0	3	0	1	3	4	3	0	
GREENOCK, .	12.8	2.3	17	3	2	1	0	0	0	1	0	1	0	1	1	3	0	0	
PERTH, . . .	15.5	1.5	10	1	3	0	0	0	0	0	0	1	0	1	1	4	0	0	

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	14.4	1.6	464	91	115	0	5	7	2	14	2	22	1	67	23	127	17	1		
GLASGOW, .	15.0	1.9	223	43	51	0	4	3	1	9	1	10	0	30	15	59	7	1		
EDINBURGH,	14.7	1.8	91	12	27	0	1	0	0	4	0	6	0	15	4	30	5	0		
DUNDEE, . .	13.8	1.3	43	8	10	0	0	1	1	0	1	1	0	14	1	11	0	0		
ABERDEEN, .	15.5	1.0	47	8	16	0	0	0	0	1	0	2	0	4	2	10	1	0		
PAISLEY, . .	17.3	1.9	27	8	5	0	0	2	0	0	0	1	0	2	0	9	1	0		
LEITH, . . .	4.6	0.7	7	1	1	0	0	0	0	0	0	1	0	1	1	4	1	0		
GREENOCK, .	14.4	1.5	19	9	2	0	0	1	0	0	0	1	1	1	0	2	2	0		
PERTH, . . .	10.9	0.0	7	2	3	0	0	0	0	0	0	0	0	0	0	2	0	0		

SEP

2

1903

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 35.

WEEK ENDING SATURDAY, AUGUST 29, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 29, 1903, was 495, being at the annual rate of 15·1 per thousand of the estimated population. This rate is 1·1 above that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest death-rate was recorded in Perth, viz., 13·9 per thousand; and the highest in Paisley, viz., 20·1 per thousand.

From the seven most familiar Zymotic diseases 91 deaths resulted, being at the rate of 2·8 per thousand of population, or 0·2 below that for last week. Of these deaths, 58 were due to the Diarrhoeal diseases, being 7 less than the number for the previous week. Measles caused 8 deaths; Scarlet Fever and Hooping-cough each 7; and Diphtheria, 6.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 48, being 3 less than the number for the previous week.

The Mean Temperature was 55°·3, being 0°·8 above that for the week immediately preceding, but 1°·3 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 29, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox. imity in Yards.	Registered during the Week ending Aug. 29, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	912	495	205	70·0	37·0	55·3	0·86
GLASGOW, . . .	12,681	786,897	62·053	9·49	465	232	98	66·4	40·0	56·2	1·22
EDINBURGH, . .	11,416	327,441	28·683	13·96	130	89	42	64·8	45·8	54·7	0·35
DUNDEE, . . .	4,162	162,805	39·117	11·95	84	45	11	66·2	39·8	55·4	0·38
ABERDEEN, . .	6,795	160,780	23·662	15·37	110	45	32	70·0	38·8	54·2	0·27
PAISLEY, . . .	3,538	82,608	23·349	15·47	42	32	3	68·8	43·0	57·3	1·56
LEITH, . . . .	2,044	79,552	38·920	11·98	35	22	6	67·1	44·9	56·5	0·61
GREENOCK, . .	1,440	69,252	48·092	10·78	34	21	8	64·0	43·5	54·6	2·29
PERTH, . . . .	2,122	33,577	15·823	18·79	12	9	5	65·0	37·0	53·7	0·17
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	934	451	234	71·1	34·0	56·6	0·30

# Week ending Saturday, AUGUST 29, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 29, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
In Eight Towns,	15.1	2.8	495	131	93	1	8	7	6	7	4	58	3	48	27	125	18	0
GLASGOW, .	15.3	3.7	232	63	32	0	4	4	4	4	3	37	2	28	12	61	9	0
EDINBURGH,	14.1	1.7	89	21	25	0	3	2	2	1	1	2	0	9	7	27	2	0
DUNDEE, . .	14.4	1.6	45	11	10	0	0	1	0	0	0	4	0	6	1	16	1	0
ABERDEEN, .	14.6	0.6	45	7	11	*1	0	0	0	0	0	1	1	2	0	13	2	0
PAISLEY, . .	20.1	4.4	32	11	3	0	1	0	0	0	0	6	0	2	2	3	3	0
LEITH, . . .	14.4	2.0	22	8	4	0	0	0	0	0	0	3	0	0	1	4	0	0
GREENOCK, .	15.8	4.5	21	9	5	0	0	0	0	2	0	4	0	1	2	1	0	0
PERTH, . . .	13.9	1.5	9	1	3	0	0	0	0	0	0	1	0	0	2	0	1	0

\* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 30, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.0	1.4	451	86	120	0	4	5	1	17	4	14	0	54	20	117	11	3
GLASGOW, .	14.5	1.6	216	43	51	0	1	2	1	10	1	9	0	32	10	45	7	3
EDINBURGH,	13.8	1.1	86	16	23	0	1	2	0	3	1	0	0	8	5	27	2	0
DUNDEE, . .	13.2	1.0	41	9	13	0	0	1	0	1	0	1	0	5	1	12	0	0
ABERDEEN, .	13.2	1.3	40	11	12	0	0	0	0	1	1	2	0	4	1	16	1	0
PAISLEY, . .	11.5	1.9	18	2	4	0	1	0	0	1	0	1	0	3	2	7	1	0
LEITH, . . .	7.9	0.7	12	0	3	0	1	0	0	0	0	0	0	0	1	4	0	0
GREENOCK, .	15.9	0.8	21	2	6	0	0	0	0	0	0	1	0	1	0	2	0	0
PERTH, . . .	26.6	3.1	17	3	8	0	0	0	0	1	1	0	0	1	0	4	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 5, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 5, 1903, was 542, being at the annual rate of 16·6 per thousand of the estimated population. This rate is 2·7 above that for the corresponding week of last year, and 1·5 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 11·8 per thousand; and the highest in Glasgow, viz., 18·8 per thousand.

The seven principal Epidemic diseases accounted for 88 deaths, being at the rate of 2·7 per thousand of population, or 0·1 below that for last week. The Diarrhoeal diseases caused 58 of these deaths, and were most fatal in Paisley, Greenock, Aberdeen and Glasgow. Ten deaths were attributed to Fever, and 9 to Hooping-cough.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 54, being 6 above the number for the previous week.

The Mean Temperature was 54°·8, being 0°·5 below that for the week immediately preceding, and 1°·4 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 5, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Sept. 5, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	919	542	286	68·8	36·0	54·8	2·43
GLASGOW, . . .	12,681	786,897	62·053	9·49	457	284	157	65·9	42·5	55·3*	2·46
EDINBURGH, . .	11,416	327,441	28·683	13·96	164	94	58	66·2	44·4	55·8	1·26
DUNDEE, . . .	4,162	162,805	39·117	11·95	83	46	10	63·7	39·8	53·3	2·56
ABERDEEN, . .	6,795	160,780	23·662	15·37	77	47	30	65·0	38·5	53·1	2·51
PAISLEY, . . .	3,538	82,608	23·349	15·47	44	22	3	66·4	45·1	55·7	3·30
LEITH, . . . .	2,044	79,552	38·920	11·98	44	18	11	68·8	46·9	57·5	1·47
GREENOCK, . .	1,440	69,252	48·092	10·78	34	22	11	64·5	44·2	54·4	3·49
PERTH, . . . .	2,122	33,577	15·823	18·79	16	9	6	66·0	36·0	53·6	2·38
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	917	448	348	70·3	37·0	56·2	1·00

\* For Glasgow no readings of the thermometer could be given for Monday, 31st August.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, SEPTEMBER 5, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 5, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.6	2.7	542	161	104	0	4	3	4	9	10	58	0	54	20	128	14	1
GLASGOW, .	18.8	3.5	284	101	44	0	2	2	2	6	6	35	0	28	6	64	11	1
EDINBURGH,	14.9	1.1	94	22	21	0	0	1	2	1	1	2	0	9	5	32	0	0
DUNDEE, . .	14.7	1.9	46	8	10	0	0	0	0	2	2	2	0	2	3	12	0	0
ABERDEEN, .	15.2	2.3	47	11	16	0	0	0	0	0	0	7	0	5	4	8	1	0
PAISLEY, . .	13.8	6.3	22	9	4	0	2	0	0	0	1	7	0	2	0	4	1	0
LEITH, . . .	11.8	0.0	18	3	5	0	0	0	0	0	0	0	0	3	0	3	0	0
GREENOCK, .	16.5	3.0	22	4	2	0	0	0	0	0	0	4	0	3	2	4	1	0
PERTH, . . .	13.9	1.5	9	3	2	0	0	0	0	0	0	1	0	2	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 6, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	13.9	1.7	448	95	113	0	6	1	2	8	6	31	0	61	21	103	14	2
GLASGOW, .	16.5	2.1	246	55	61	0	2	1	0	4	4	20	0	43	9	61	11	2
EDINBURGH,	12.4	1.4	77	11	19	0	2	0	1	0	2	4	0	8	4	16	1	0
DUNDEE, . .	10.6	1.6	33	6	10	0	0	0	0	0	0	5	0	3	3	10	0	0
ABERDEEN, .	13.5	1.3	41	14	9	0	0	0	1	2	0	1	0	2	2	6	1	0
PAISLEY, . .	13.5	1.3	21	3	8	0	2	0	0	0	0	0	0	3	1	4	0	0
LEITH, . . .	5.3	0.7	8	3	0	0	0	0	0	0	0	1	0	0	1	1	1	0
GREENOCK, .	10.6	0.0	14	2	4	0	0	0	0	0	0	0	0	1	1	3	0	0
PERTH, . . .	12.5	3.1	8	1	2	0	0	0	0	2	0	0	0	1	0	2	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 12, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 12, 1903, was 470, showing an annual mortality rate of 14·4 per thousand of the estimated population. This rate is 0·4 below that for the corresponding week of last year, and 2·2 below that for the previous week of the present year.

The lowest rate of mortality occurred in Leith, viz., 8·5 per thousand; and the highest in Perth, viz., 20·1 per thousand.

From the seven most familiar Epidemic diseases there resulted 77 deaths, being at the rate of 2·4 per thousand of population, or 0·3 below that for last week. Fifty-two of these deaths were due to the Diarrhœal diseases, 9 to Hooping-cough, 7 to Fever, and 6 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 51, being 3 less than the number for the previous week.

The Mean Temperature was 51°·2, being 3°·6 below that for the week immediately preceding, and 1°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 12, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Sept. 12, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	892	470	227	65·1	36·0	51·2	1·00
GLASGOW, . . .	12,681	786,897	62·053	9·49	445	225	118	63·5	41·6	51·8	1·57
EDINBURGH, . .	11,416	327,441	28·683	13·96	137	80	46	61·9	40·6	50·1	1·07
DUNDEE, . . .	4,162	162,805	39·117	11·95	87	46	15	64·0	39·9	51·2	0·60
ABERDEEN, . .	6,795	160,780	23·662	15·37	97	45	19	65·1	39·4	51·1	0·74
PAISLEY, . . .	3,538	82,608	23·349	15·47	33	30	6	62·0	40·4	52·0	1·35
LEITH, . . . .	2,044	79,552	38·920	11·98	43	13	6	64·6	42·9	52·6	0·98
GREENOCK, . .	1,440	69,252	48·092	10·78	34	18	14	...	...	...	...
PERTH, . . . .	2,122	33,577	15·823	18·79	16	13	3	63·0	36·0	49·6	0·72
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	870	479	271	70·5	35·5	52·4	0·09

Week ending **Saturday, SEPTEMBER 12, 1903.**

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 12, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unidentified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.4	2.4	470	108	105	0	6	1	2	9	7	52	1	51	25	127	13	1
GLASGOW, .	14.9	2.4	225	52	43	0	5	1	0	7	3	21	1	25	11	62	10	1
EDINBURGH,	12.7	1.7	80	12	21	0	1	0	0	1	0	9	0	4	5	31	3	0
DUNDEE, . .	14.7	4.8	46	12	6	0	0	0	0	1	4	10	0	4	3	13	0	0
ABERDEEN, .	14.6	2.3	45	15	14	0	0	0	1	0	0	6	0	9	2	11	0	0
PAISLEY, . .	18.9	1.3	30	7	5	0	0	0	0	0	0	2	0	4	2	4	0	0
LEITH, . . .	8.5	0.0	13	2	3	0	0	0	0	0	0	0	0	2	2	2	0	0
GREENOCK, .	13.5	2.3	18	7	7	0	0	0	0	0	0	3	0	1	0	0	0	0
PERTH, . . .	20.1	3.1	13	1	6	0	0	0	1	0	0	1	0	2	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, September 13, 1902.

[illegible]

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 19, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 19, 1903, was 527, showing an annual mortality rate of 16·1 per thousand of the estimated population. This rate is 2·0 above that for the corresponding week of last year, and 1·7 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 13·6 per thousand; and the highest in Paisley, viz., 20·1 per thousand.

From the seven principal Epidemic diseases, 51 deaths were registered, being at the rate of 1·6 per thousand of population, or 0·8 below that for last week. Nineteen deaths were due to the Diarrheal diseases; 10 to Hooping-cough, of which 7 occurred in Glasgow; 8 to Measles, of which 7 occurred in Glasgow; and 6 to Diphtheria, of which 3 occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 70, being 19 more than the number for the previous week.

The Mean Temperature was 48°·9, being 2°·3 below that for the week immediately preceding, and 2°·0 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 19, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Sept. 19, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	942	527	260	67·8	29·0	48·9	0·04
GLASGOW, . . .	12,681	786,897	62·053	9·49	477	236	123	67·8	32·0	48·2	0·00
EDINBURGH, . .	11,416	327,441	28·683	13·96	152	110	55	62·9	37·1	49·0	0·00
DUNDEE, . . .	4,162	162,805	39·117	11·95	76	54	13	61·5	34·2	48·8	0·11
ABERDEEN, . .	6,795	160,780	23·662	15·37	84	42	31	60·5	32·8	49·2	0·19
PAISLEY, . . .	3,538	82,608	23·349	15·47	51	32	14	67·3	33·5	49·9	0·00
LEITH, . . . .	2,044	79,552	38·920	11·98	51	25	13	66·7	36·9	50·4	0·05
GREENOCK, . .	1,440	69,252	48·092	10·78	33	19	7	65·0	37·0	48·9	0·00
PERTH, . . . .	2,122	33,577	15·823	18·79	18	9	4	62·0	29·0	46·6	0·00
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	934	456	265	65·5	34·1	50·9	0·47

# Week ending Saturday, SEPTEMBER 19, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 19, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	16.1	1.6	527	134	120	0	8	3	6	10	5	19	1	70	28	125	26	6		
GLASGOW, .	15.6	1.9	236	61	52	0	7	0	2	7	5	7	0	33	16	63	13	4		
EDINBURGH,	17.5	1.0	110	29	22	0	0	1	3	1	0	1	0	16	5	30	5	0		
DUNDEE, . .	17.2	1.9	54	15	13	0	0	0	0	0	0	6	1	5	2	11	0	0		
ABERDEEN, .	13.6	1.3	42	13	7	0	0	1	0	1	0	2	0	6	1	11	1	0		
PAISLEY, . .	20.1	2.5	32	6	7	0	1	1	0	1	0	1	0	3	3	4	4	1		
LEITH, . . .	16.3	0.7	25	6	7	0	0	0	0	0	0	1	0	3	1	4	1	1		
GREENOCK, .	14.3	0.8	19	3	8	0	0	0	0	0	0	1	0	3	0	1	2	0		
PERTH, . . .	13.9	1.5	9	1	4	0	0	0	1	0	0	0	0	1	0	1	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 20, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												Deaths in Public Institutions.
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	14.1	1.3	456	106	108	0	3	2	3	10	4	21	1	56	19	112	16	1
GLASGOW, .	14.1	1.3	211	44	46	0	0	1	1	4	2	11	0	24	10	53	6	0
EDINBURGH,	13.7	1.3	85	19	27	0	2	1	1	2	0	2	0	8	3	21	4	0
DUNDEE, . .	14.8	1.3	46	9	11	0	0	0	0	1	1	2	1	6	3	11	3	0
ABERDEEN, .	12.5	1.0	38	13	6	0	0	0	0	1	0	2	0	6	2	15	1	1
PAISLEY, . .	15.4	1.3	24	11	2	0	0	0	0	1	0	1	0	6	0	3	1	0
LEITH, . . .	15.9	1.3	24	5	11	0	0	0	0	1	0	1	0	3	0	5	1	0
GREENOCK; .	15.1	2.3	20	4	4	0	1	0	0	0	1	1	0	2	1	3	0	0
PERTH, . . .	12.5	3.1	8	1	1	0	0	0	1	0	0	1	0	1	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 39.      WEEK ENDING SATURDAY, SEPTEMBER 26, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 26, 1903, was 550, being at the annual rate of 16·8 per thousand of the estimated population. This rate is 1·1 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest rate of mortality occurred in Greenock, with 12·0 per thousand; and the highest in Dundee and Aberdeen, each with 20·1 per thousand.

From the seven principal Epidemic diseases, there resulted 77 deaths, being at the rate of 2·4 per thousand of population, or 0·8 above that for last week. Of these deaths 44 were due to the Diarrhoeal diseases, 9 to Hooping-cough, 8 to Diphtheria, and 7 to Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 80, being 10 above the number for the previous week.

The Mean Temperature was 56°·4, being 7°·5 above that for the week immediately preceding, and 1°·5 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 26, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Sept. 26, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	910	550	244	71·4	42·8	56·4	0·46
GLASGOW, . . .	12,681	786,897	62·053	9·49	454	247	119	71·4	48·0	58·7	0·67
EDINBURGH, . .	11,416	327,441	28·683	13·96	142	101	54	64·7	47·6	55·7	0·11
DUNDEE, . . .	4,162	162,805	39·117	11·95	82	63	18	64·8	51·5	56·0	0·22
ABERDEEN, . .	6,795	160,780	23·662	15·37	88	62	20	65·0	47·4	55·3	0·03
PAISLEY, . . .	3,538	82,608	23·349	15·47	47	29	7	67·9	42·8	56·7	1·01
LEITH, . . . .	2,044	79,552	38·920	11·98	43	20	14	65·8	47·9	56·1	0·23
GREENOCK, . .	1,440	69,252	48·092	10·78	37	16	7	67·2	47·0	56·6	0·94
PERTH, . . . .	2,122	33,577	15·823	18·79	17	12	5	63·0	52·0	56·0	0·50
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	973	507	270	68·0	37·0	54·9	0·67

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, SEPTEMBER 26, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 26, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Eptidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.8	2.4	550	133	135	0	5	4	8	9	7	44	4	80	22	149	18	4
GLASGOW, .	16.3	2.9	247	63	46	0	4	2	4	7	5	22	2	42	12	73	9	3
EDINBURGH,	16.0	1.1	101	12	34	0	0	1	2	1	0	3	0	10	6	26	3	0
DUNDEE, . .	20.1	1.6	63	17	16	0	0	0	0	0	1	4	0	9	2	17	0	0
ABERDEEN, .	20.1	2.6	62	25	18	0	1	0	1	0	0	6	1	11	1	17	1	0
PAISLEY, . .	18.3	4.4	29	7	8	0	0	1	0	1	1	4	1	3	0	3	3	0
LEITH, . . .	13.1	1.3	20	5	7	0	0	0	0	0	0	2	0	1	1	5	1	0
GREENOCK, .	12.0	1.5	16	2	2	0	0	0	0	0	0	2	0	4	0	2	1	1
PERTH, . . .	18.6	3.1	12	2	4	0	0	0	1	0	0	1	0	0	0	6	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 27, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Eptidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.7	1.5	507	122	124	0	1	5	2	7	6	27	3	83	22	116	20	1
GLASGOW, .	16.4	1.8	245	61	44	0	0	2	1	2	3	19	1	42	8	53	13	1
EDINBURGH,	14.0	1.1	87	18	29	0	0	1	0	1	3	2	0	9	3	24	6	0
DUNDEE, . .	16.0	1.3	50	13	11	0	0	0	1	1	0	2	0	10	2	14	0	0
ABERDEEN, .	12.5	0.7	38	12	11	0	0	0	0	0	0	2	1	6	1	8	1	0
PAISLEY, . .	14.7	1.9	23	1	8	0	1	1	0	1	0	0	1	4	0	5	0	0
LEITH, . . .	15.2	1.3	23	4	7	0	0	0	0	1	0	1	0	3	3	3	0	0
GREENOCK, .	22.7	1.5	30	8	9	0	0	1	0	0	0	1	0	4	4	6	0	0
PERTH, . . .	17.2	1.6	11	5	5	0	0	0	0	1	0	0	0	5	1	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 3, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 3, 1903, was 566, being at the annual rate of 17·3 per thousand of the estimated population. This rate is 0·7 above that for the corresponding week of last year, and 0·5 above that for the previous week of the present year.

The lowest rate of mortality occurred in Leith, viz., 13·7 per thousand; and the highest in Dundee, viz., 18·8 per thousand.

From the seven principal Epidemic diseases, 65 deaths were registered, being at the rate of 2·0 per thousand of population, or 0·4 below that for last week. Of these deaths, 42 were due to the Diarrhœal diseases, 7 to Hooping-cough, and 6 to Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 86, being 6 above the number for the previous week.

The Mean Temperature was 55°·5, being 0°·9 below that for the week immediately preceding, but 4°·8 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 3, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Oct. 3, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38 529	12·04	881	566	309	67·8	42·0	55·5	0·81
GLASGOW, . . .	12,681	786,897	62·053	9·49	422	277	168	67·8	47·5	57·7	0·93
EDINBURGH, . .	11,416	327,441	28·683	13·96	150	107	66	64·1	47·7	55·9	0·81
DUNDEE, . . .	4,162	162,805	39·117	11·95	97	59	14	63·1	44·2	54·2	0·69
ABERDEEN, . .	6,795	160,780	23·662	15·37	84	45	21	61·2	42·0	53·1	0·84
PAISLEY, . . .	3,538	82,608	23·349	15·47	49	26	10	...	...	...	...
LEITH, . . . .	2,044	79,552	38·920	11·98	42	21	13	65·8	48·8	57·4	0·38
GREENOCK, . .	1,440	69,252	48·092	10·78	26	19	15	65·7	44·0	56·4	1·84
PERTH, . . . .	2,122	33,577	15·823	18·79	11	12	2	62·0	42·0	54·1	0·21
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	978	536	321	66·2	27·0	50·7	0·11

# Week ending Saturday, OCTOBER 3, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 3, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.3	2.0	566	158	127	0	4	2	4	7	6	42	2	86	32	145	26
GLASGOW, .	18.3	2.2	277	81	49	0	3	0	1	5	4	21	0	48	19	62	14
EDINBURGH,	17.0	1.9	107	19	31	0	0	1	3	2	1	5	0	14	3	38	9
DUNDEE, . .	18.8	1.9	59	16	16	0	0	0	0	0	1	5	0	10	2	20	0
ABERDEEN, .	14.6	0.6	45	15	13	0	0	0	0	0	0	2	0	8	3	10	0
PAISLEY, . .	16.4	1.3	26	6	12	0	1	0	0	0	0	1	0	6	1	7	1
LEITH, . . .	13.7	3.3	21	13	4	0	0	0	0	0	0	5	2	0	2	0	2
GREENOCK, .	14.3	1.5	19	4	0	0	0	0	0	0	0	2	0	0	1	2	0
PERTH, . . .	18.6	3.1	12	4	2	0	0	1	0	0	0	1	0	0	1	6	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 4, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.6	1.7	536	133	117	0	1	6	4	8	6	31	0	87	27	123	29
GLASGOW, .	18.5	1.9	276	69	49	0	1	2	1	5	3	16	0	54	15	58	19
EDINBURGH,	16.6	1.8	103	20	28	0	0	1	2	2	2	4	0	9	1	34	3
DUNDEE, . .	14.4	1.0	45	10	13	0	0	0	0	0	0	3	0	4	2	9	1
ABERDEEN, .	12.2	2.0	37	13	12	0	0	1	0	1	0	4	0	8	2	7	0
PAISLEY, . .	17.3	2.6	27	6	6	0	0	1	1	0	0	2	0	7	2	5	2
LEITH, . . .	11.2	0.0	17	2	4	0	0	0	0	0	0	0	0	1	1	3	0
GREENOCK, .	16.6	3.0	22	9	2	0	0	1	0	0	1	2	0	3	3	6	3
PERTH, . . .	14.1	0.0	9	4	3	0	0	0	0	0	0	0	0	1	1	1	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 10, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 10, 1903, was 525, being at the annual rate of 16·0 per thousand of the estimated population. This rate is 0·6 above that for the corresponding week of last year, but 1·3 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 9·3 per thousand; and the highest in Dundee, viz., 19·8 per thousand.

From the seven principal Epidemic diseases, 71 deaths were registered, being at the rate of 2·2 per thousand of population, or 0·2 above that for last week. Of these deaths, 41 were due to the Diarrhoeal diseases, the rate therefrom being highest in Dundee; 9 to Fever; and 8 to Measles, all of which occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 62, being 24 below the number for the previous week.

The Mean Temperature was 46°·8, being 8°·7 below that for the week immediately preceding, but 1°·4 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 10, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Oct. 10, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	907	525	211	61·2	27·0	46·8	2·27
GLASGOW, . . .	12,681	786,897	62·053	9·49	457	235	111	61·2	30·9	48·1	2·38
EDINBURGH, . .	11,416	327,441	28·683	13·96	131	104	51	55·7	35·6	46·7	2·50
DUNDEE, . . .	4,162	162,805	39·117	11·95	80	62	8	54·7	34·2	45·3	1·69
ABERDEEN, . . .	6,795	160,780	23·662	15·37	92	44	24	56·2	36·0	45·8	0·63
PAISLEY, . . .	3,538	82,608	23·349	15·47	49	27	2	60·1	34·1	47·9	3·00
LEITH, . . . .	2,044	79,552	38·920	11·98	46	23	8	58·6	36·7	48·2	2·82
GREENOCK, . . .	1,440	69,252	48·092	10·78	38	24	5	60·2	36·0	48·0	2·78
PERTH, . . . .	2,122	33,577	15·823	18·79	14	6	2	55·0	27·0	44·2	2·37
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	983	496	227	57·8	27·0	45·4	0·09

# Week ending Saturday, OCTOBER 10, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 10, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16·0	2·2	525	128	128	0	8	4	3	6	9	41	0	62	16	128	11
GLASGOW, .	15·5	2·6	235	65	50	0	8	2	1	3	5	21	0	31	10	54	4
EDINBURGH,	16·5	1·0	104	10	33	0	0	1	1	1	1	2	0	8	3	38	3
DUNDEE, . .	19·8	4·5	62	17	13	0	0	0	0	1	3	10	0	6	2	14	1
ABERDEEN, .	14·2	1·0	44	17	12	0	0	0	0	0	0	3	0	7	0	9	0
PAISLEY, . .	17·0	1·3	27	7	6	0	0	0	0	1	0	1	0	3	0	5	1
LEITH, . . .	15·0	0·7	23	7	5	0	0	0	0	0	0	1	0	2	1	3	1
GREENOCK, .	18·0	2·3	24	4	7	0	0	0	0	0	0	3	0	4	0	1	1
PERTH, . . .	9·3	3·1	6	1	2	0	0	1	1	0	0	0	0	1	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 11, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15·4	1·5	496	126	107	*1	4	5	5	12	3	19	3	103	19	105	16
GLASGOW, .	17·5	1·9	261	74	44	0	3	1	3	7	2	12	1	59	9	48	9
EDINBURGH,	13·2	1·3	82	12	20	0	1	0	0	2	1	4	1	10	6	26	5
DUNDEE, . .	13·2	0·3	41	15	8	0	0	0	0	0	0	1	0	11	1	11	0
ABERDEEN, .	17·2	1·0	52	15	17	0	0	0	0	2	0	1	1	11	2	5	0
PAISLEY, . .	9·6	1·3	15	4	6	0	0	1	0	1	0	0	0	5	0	5	1
LEITH, . . .	7·3	1·3	11	0	2	*1	0	0	1	0	0	0	0	1	0	3	0
GREENOCK, .	11·3	3·8	15	4	3	0	0	3	1	0	0	1	0	1	0	5	1
PERTH, . . .	29·7	0·0	19	2	7	0	0	0	0	0	0	0	0	5	1	2	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 17, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 17, 1903, was 527, being at the annual rate of 16·1 per thousand of the estimated population. This rate is 1·9 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 13·3 per thousand; and the highest in Perth, viz., 20·1 per thousand.

From the seven principal Epidemic diseases, 72 deaths were registered, being at the rate of 2·2 per thousand of population, or the same as that for last week. The Diarrhoeal diseases accounted for 35 of these deaths, and Measles for 14, of which 11 occurred in Glasgow. One death from Small-pox was registered in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 81, being 19 above the number for the previous week.

The Mean Temperature was 47°·9, being 1°·1 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 17, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Oct. 17, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	992	527	274	59·3	36·0	47·9	1·34
GLASGOW, . . .	12,681	786,897	62·053	9·49	488	268	100	59·3	41·2	49·1	1·46
EDINBURGH, . .	11,416	327,441	28·683	13·96	147	85	46	57·0	38·4	47·7	0·53
DUNDEE, . . .	4,162	162,805	39·117	11·95	81	54	83	55·1	40·4	47·4	1·14
ABERDEEN, . .	6,795	160,780	23·662	15·37	117	41	12	53·5	38·0	47·0	1·34
PAISLEY, . . .	3,538	82,608	23·349	15·47	49	22	9	59·0	42·2	49·3	1·80
LEITH, . . . .	2,044	79,552	38·920	11·98	47	21	10	58·7	39·6	49·3	0·58
GREENOCK, . .	1,440	69,252	48·092	10·78	48	23	9	57·0	39·0	46·7	2·61
PERTH, . . . .	2,122	33,577	15·823	18·79	15	13	5	57·0	36·0	47·0	1·26
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	953	581	239	59·2	26·0	47·8	0·71

# Week ending Saturday, OCTOBER 17, 1903.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 17, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.1	2.2	527	128	128	1	14	5	4	7	6	35	1	81	16	119	24	6
GLASGOW, .	17.7	3.0	268	73	59	1	11	2	0	6	1	24	0	51	9	59	15	5
EDINBURGH,	13.5	1.1	85	14	25	0	1	3	2	1	0	0	0	9	2	22	4	0
DUNDEE, . .	17.2	1.6	54	12	16	0	0	0	1	0	2	2	0	8	3	13	0	0
ABERDEEN, .	13.3	1.9	41	9	11	0	1	0	0	0	1	4	0	5	1	9	2	0
PAISLEY, . .	13.8	1.9	22	6	4	0	1	0	0	0	1	1	0	0	0	5	0	0
LEITH, . . .	13.7	2.0	21	6	4	0	0	0	0	0	0	3	0	3	1	6	0	0
GREENOCK, .	17.3	0.8	23	8	3	0	0	0	0	0	0	1	1	1	0	3	2	1
PERTH, . . .	20.1	3.1	13	0	6	0	0	0	1	0	1	0	0	4	0	2	1	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 18, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.0	1.7	581	167	146	0	2	8	8	11	3	24	2	127	24	121	18	4
GLASGOW, .	19.3	1.9	288	85	59	0	0	4	5	5	2	13	2	75	14	59	8	4
EDINBURGH,	15.8	1.3	98	26	34	0	1	1	1	3	0	2	0	14	4	19	4	0
DUNDEE, . .	17.6	1.6	55	15	16	0	0	0	0	1	0	4	0	10	0	11	1	0
ABERDEEN, .	15.5	0.0	47	16	11	0	0	0	0	0	0	0	0	6	4	8	2	0
PAISLEY, . .	30.1	5.1	47	9	14	0	1	2	0	1	1	3	0	11	1	11	1	0
LEITH, . . .	8.6	0.7	13	6	4	0	0	0	0	0	0	1	0	5	0	4	0	0
GREENOCK, .	16.6	3.8	22	7	5	0	0	1	2	1	0	1	0	2	1	7	2	0
PERTH, . . .	17.2	0.0	11	3	3	0	0	0	0	0	0	0	0	4	0	2	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 43.      WEEK ENDING SATURDAY, OCTOBER 24, 1903.

The number of Deaths registered in Eight of the Principal Towns of Scotland during the week ending with Saturday, October 24, 1903, was 546, representing an annual mortality rate of 16·7 per thousand of the estimated population. This rate is 0·1 below that for the corresponding week of last year, but 0·6 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 11·8 per thousand; and the highest in Greenock, viz., 21·0 per thousand.

From the seven principal Epidemic diseases, 77 deaths were registered, being at the rate of 2·4 per thousand of population, or 0·2 above that for last week. Of these deaths 39 were due to the Diarrhoeal diseases and 16 to Measles, all of the latter having occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 91, being 10 above the number for the previous week.

The Mean Temperature was 47°·3, being 0°·6 below that for the week immediately preceding, but 0°·1 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 24, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Oct. 24, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	935	546	191	60·5	32·8	47·3	0·81
GLASGOW, . . .	12,681	786,897	62·053	9·49	442	262	99	60·5	37·8	49·2	0·88
EDINBURGH, . .	11,416	327,441	28·683	13·96	157	98	43	56·3	37·5	47·5	0·34
DUNDEE, . . .	4,162	162,805	39·117	11·95	87	56	17	54·8	32·8	45·8	0·69
ABERDEEN, . .	6,795	160,780	23·662	15·37	106	44	13	53·8	33·5	46·3	0·51
PAISLEY, . . .	3,538	82,608	23·349	15·47	36	31	6	59·3	38·3	48·4	1·13
LEITH, . . . .	2,044	79,552	38·920	11·98	45	18	3	58·3	38·9	48·5	0·35
GREENOCK, . .	1,440	69,252	48·092	10·78	45	28	8	56·5	37·0	47·6	1·79
PERTH, . . . .	2,122	33,577	15·823	18·79	17	9	2	55·0	33·0	45·5	0·77
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	962	543	195	58·7	27·0	47·2	0·66

**Week ending Saturday, OCTOBER 24, 1903.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 24, 1903.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns.	16.7	2.4	546	140	123	0	16	4	4	8	6	39	1	91	18	148	17
GLASGOW, .	17.3	2.4	262	64	55	0	16	0	0	4	2	14	1	55		73	9
EDINBURGH,	15.6	1.4	98	19	27	0	0	2	2	1	0	4	0	11	4	36	5
DUNDEE, . .	17.9	2.6	56	19	9	0	0	0	0	0	2	6	0	8	2	13	0
ABERDEEN, .	14.2	3.6	44	14	12	0	0	2	0	2	0	7	0	4	0	8	0
PAISLEY, . .	19.5	3.1	31	12	5	0	0	0	2	0	0	3	0	4	1	6	2
LEITH, . . .	11.8	1.3	18	3	5	0	0	0	0	0	0	2	0	1	1	3	1
GREENOCK, .	21.0	3.8	28	7	6	0	0	0	0	1	2	2	0	4	1	6	0
PERTH, . . .	13.9	1.5	9	2	4	0	0	0	0	0	0	1	0	4	1	3	0

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 25, 1902.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns.	16.8	1.4	543	142	128	0	2	10	5	7	1	21	4	112	23	132	21
GLASGOW, .	19.0	1.3	284	82	55	0	0	3	3	5	0	8	3	72	11	56	12
EDINBURGH,	14.8	0.8	92	17	28	0	0	1	0	1	0	3	0	16	5	33	4
DUNDEE, . .	12.8	1.6	40	12	9	0	0	0	0	0	0	5	0	3	3	13	1
ABERDEEN, .	16.5	1.3	50	9	19	0	1	1	1	0	0	1	0	8	2	12	1
PAISLEY, . .	14.1	2.6	22	6	4	0	0	2	0	0	1	1	0	7	0	6	1
LEITH, . . .	11.2	1.3	17	9	1	0	0	0	0	1	0	1	0	3	2	1	0
GREENOCK, .	19.7	5.3	26	4	7	0	1	3	1	0	0	2	1	2	0	6	2
PERTH, . . .	18.7	0.0	12	3	5	0	0	0	0	0	0	0	0	1	0	5	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44.

WEEK ENDING SATURDAY, OCTOBER 31, 1903.

The Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 31, 1903, amounted to 557, being at the annual rate of 17·0 per thousand of the estimated population. This rate is 1·9 below that for the corresponding week of last year, but 0·3 above that for the previous week of the present year.

The rate of mortality was lowest in Leith, viz., 14·4 per thousand; and highest in Paisley, viz., 22·0 per thousand.

From the seven principal Epidemic diseases, 62 deaths were registered, being at the rate of 1·9 per thousand of the population, or 0·5 below that for last week. Of these deaths 33 were due to the Diarrhoeal diseases and 11 to Measles, 9 of which occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 106, being 15 above the number for the previous week.

The Mean Temperature was 47°·1, being 0°·2 below that for the week immediately preceding, and 2°·4 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 31, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Oct. 31, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	891	557	222	56·2	35·0	47·1	1·85
GLASGOW, . . .	12,681	786,897	62·053	9·49	467	259	128	56·2	38·8	47·9	2·04
EDINBURGH, . .	11,416	327,441	28·683	13·96	134	94	36	53·3	38·2	46·5	1·60
DUNDEE, . . .	4,162	162,805	39·117	11·95	65	61	17	52·7	37·2	46·3	1·43
ABERDEEN, . .	6,795	160,780	23·662	15·37	92	49	20	53·2	38·8	46·8	1·73
PAISLEY, . . .	3,538	82,608	23·349	15·47	28	35	6	56·2	39·3	48·3	2·38
LEITH, . . . .	2,044	79,552	38·920	11·98	55	22	3	55·0	40·0	48·9	1·67
GREENOCK, . .	1,440	69,252	48·092	10·78	40	24	11	55·7	37·0	46·7	2·33
PERTH, . . . .	2,122	33,577	15·823	18·79	10	13	1	53·0	35·0	45·5	1·62
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	915	612	246	61·0	34·0	49·5	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, OCTOBER 31, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, October 31, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 50 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	17.0	1.9	557	133	123	0	11	4	5	7	2	33	2	106	17	140	18	0	
GLASGOW, .	17.1	2.2	259	65	47	0	9	1	2	3	1	17	1	57	11	62	9	0	
EDINBURGH,	14.9	1.1	94	19	21	0	1	1	1	1	0	3	0	14	2	34	4	0	
DUNDEE, . .	19.5	2.6	61	18	12	0	0	0	1	1	0	6	0	14	1	10	2	0	
ABERDEEN, .	15.8	1.3	49	15	15	0	1	0	0	1	0	2	0	6	0	8	3	0	
PAISLEY, . .	22.0	3.1	35	4	9	0	0	2	0	1	0	2	0	6	1	13	0	0	
LEITH, . . .	14.4	0.7	22	6	5	0	0	0	0	0	0	1	1	4	1	3	0	0	
GREENOCK, .	18.0	3.0	24	3	8	0	0	0	1	0	1	2	0	4	1	4	0	0	
PERTH, . . .	20.1	0.0	13	3	6	0	0	0	0	0	0	0	0	1	0	6	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, November 1, 1902.

[illegible]

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 7, 1903.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 7, 1903, was 516, being at the annual rate of 15·8 per thousand of the estimated population. This rate is 1·3 below that for the corresponding week of last year, and 1·2 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Dundee and in Greenock, viz., 12·8 per thousand; and the highest in Perth, viz., 23·2 per thousand.

The seven principal Epidemic diseases accounted for 53 deaths, being at the rate of 1·6 per thousand of population, or 0·3 below that for last week. Of these deaths, 19 were due to Measles, of which 18 occurred in Glasgow; 15 to the Diarrhoeal diseases; and 6 each to Diphtheria and Hooping-cough. One death from Small-pox was recorded in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 105, being 1 less than the number for the previous week.

The Mean Temperature was 44°·3, being 2°·8 below that for the week immediately preceding, and 3°·0 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 7, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Nov. 7, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	898	516	328	58·9	24·0	44·3	0·25
GLASGOW, . . .	12,681	786,897	62·053	9·49	446	255	182	58·9	30·5	45·9	0·22
EDINBURGH, . .	11,416	327,441	28·683	13·96	147	93	63	51·9	29·7	44·4	0·20
DUNDEE, . . .	4,162	162,805	39·117	11·95	80	40	12	53·0	27·8	42·6	0·21
ABERDEEN, . .	6,795	160,780	23·662	15·37	92	52	24	53·6	26·0	42·1	0·15
PAISLEY, . . .	3,538	82,608	23·349	15·47	43	22	22	56·2	33·8	45·9	0·15
LEITH, . . . .	2,044	79,552	38·920	11·98	48	22	14	53·7	30·5	45·8	0·32
GREENOCK, . .	1,440	69,252	48·092	10·78	27	17	9	53·0	36·0	45·6	0·45
PERTH, . . . .	2,122	33,577	15·823	18·79	15	15	2	52·0	24·0	41·8	0·34
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	882	553	323	59·8	28·0	47·3	0·92

# Week ending Saturday, NOVEMBER 7, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 7, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.8	1.6	516	139	114	1	19	5	6	6	1	15	2	105	19	113	18
GLASGOW, .	16.9	2.2	255	74	40	1	18	2	4	2	1	6	2	63	7	54	12
EDINBURGH,	14.8	1.1	93	17	32	0	0	2	2	2	0	1	0	13	5	29	5
DUNDEE, . .	12.8	1.3	40	9	11	0	0	0	0	0	0	4	0	4	0	5	0
ABERDEEN, .	16.8	1.3	52	16	14	0	0	1	0	0	0	3	0	9	3	11	0
PAISLEY, . .	13.8	0.6	22	7	5	0	0	0	0	0	0	1	0	5	2	3	0
LEITH, . . .	14.4	0.7	22	10	7	0	0	0	0	1	0	0	0	7	1	3	1
GREENOCK, .	12.8	1.5	17	5	1	0	1	0	0	1	0	0	0	0	1	4	0
PERTH, . . .	23.2	0.0	15	1	4	0	0	0	0	0	0	0	0	4	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 8, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.1	1.7	553	150	120	0	3	4	3	18	5	21	3	147	11	125	24
GLASGOW, .	19.3	1.7	288	92	37	0	0	1	1	9	4	11	3	91	8	65	15
EDINBURGH,	14.8	1.9	92	25	29	0	3	0	1	4	1	3	0	16	2	24	4
DUNDEE, . .	17.3	1.0	54	8	21	0	0	0	0	0	0	3	0	11	0	13	0
ABERDEEN, .	13.2	1.3	40	10	13	0	0	0	0	1	0	3	0	6	0	9	2
PAISLEY, . .	17.3	1.3	27	4	5	0	0	1	0	1	0	0	0	7	0	6	2
LEITH, . . .	9.3	0.0	14	4	6	0	0	0	0	0	0	0	0	7	0	1	0
GREENOCK, .	15.1	1.5	20	4	4	0	0	1	1	0	0	0	0	7	0	4	1
PERTH, . . .	28.1	7.8	18	3	5	0	0	1	0	3	0	1	0	2	1	3	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 14, 1903.

During the week ending with Saturday, November 14, 1903, there were registered in Eight of the Principal Towns the deaths of 571 persons, being at the annual rate of 17·4 per thousand of the estimated population. This rate is 1·0 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest rate of mortality occurred in Greenock, viz., 12·0 per thousand; and the highest in Dundee, viz., 18·5 per thousand.

The seven principal Epidemic diseases accounted for 50 deaths, being at the rate of 1·5 per thousand of population, or 0·1 below that for last week. Of these deaths, 20 were due to the Diarrhoeal diseases; and 10 each to Measles and Fever, 9 of the former having occurred in Glasgow. One death from Small-pox was recorded in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 128, being 23 above the number for the previous week.

The Mean Temperature was 46°·0, being 1°·7 above that for the week immediately preceding, but 1°·5 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 14, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Nov. 14, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	897	571	202	55·5	27·6	46·0	0·71
GLASGOW, . . .	12,681	786,897	62·053	9·49	470	279	103	55·4	39·0	48·7	0·81
EDINBURGH, . .	11,416	327,441	28·683	13·96	141	113	32	54·9	39·2	47·2	0·29
DUNDEE, . . .	4,162	162,805	39·117	11·95	78	58	19	54·4	33·5	44·8	0·25
ABERDEEN, . .	6,795	160,780	23·662	15·37	85	46	26	54·0	27·6	41·4	0·36
PAISLEY, . . .	3,538	82,608	23·349	15·47	35	23	9	54·2	40·0	47·4	1·34
LEITH, . . . .	2,044	79,552	38·920	11·98	40	27	6	55·5	39·5	47·8	0·23
GREENOCK, . .	1,440	69,252	48·092	10·78	36	16	4	54·2	36·5	46·5	2·07
PERTH, . . . .	2,122	33,577	15·823	18·79	12	9	3	54·0	30·0	44·4	0·34
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	924	529	238	56·5	35·0	47·5	0·70

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.

**Week ending Saturday, NOVEMBER 14, 1903.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 14, 1903.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.4	1.5	571	139	128	2	10	0	4	4	10	20	1	128	24	124	19	1
GLASGOW, ..	18.4	1.7	279	71	51	1	9	0	2	2	5	7	1	76	11	63	10	1
EDINBURGH,	17.9	1.3	113	22	35	0	0	0	2	1	2	3	0	16	5	27	8	0
DUNDEE, . .	18.5	1.9	58	7	12	0	0	0	0	0	3	3	0	12	4	15	0	0
ABERDEEN, .	14.9	1.9	46	18	15	*1	0	0	0	1	0	4	0	9	0	8	0	0
PAISLEY, . .	14.5	1.9	23	9	5	0	1	0	0	0	0	2	0	6	0	2	0	0
LEITH, . . .	17.6	0.0	27	9	2	0	0	0	0	0	0	0	0	7	3	4	1	0
GREENOCK, .	12.0	0.8	16	3	4	0	0	0	0	0	0	1	0	2	1	2	0	0
PERTH, . . .	13.9	0.0	9	0	4	0	0	0	0	0	0	0	0	0	0	3	0	0

\* Chicken-pox.

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 15, 1902.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.4	1.3	529	118	131	*1	4	2	4	3	5	22	3	136	23	121	28	3
GLASGOW, .	18.0	1.2	269	69	60	0	0	0	2	1	3	12	3	82	13	61	16	3
EDINBURGH,	14.5	1.0	90	11	25	0	1	0	0	1	1	3	0	15	5	24	4	0
DUNDEE, . .	14.1	0.6	44	8	10	0	0	0	0	1	0	1	0	12	2	13	2	0
ABERDEEN, .	17.2	2.6	52	10	19	0	3	0	2	0	0	3	0	13	1	6	3	0
PAISLEY, . .	17.3	2.6	27	9	7	*1	0	1	0	0	0	2	0	7	1	7	0	0
LEITH, . . .	13.9	0.7	21	8	3	0	0	0	0	0	0	1	0	3	1	5	3	0
GREENOCK, .	14.4	0.8	19	3	3	0	0	1	0	0	0	0	0	2	0	3	0	0
PERTH, . . .	10.9	1.6	7	0	4	0	0	0	0	0	1	0	0	2	0	2	0	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 21, 1903.

The number of deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 21, 1903, was 569, representing an annual mortality-rate of 17·4 per thousand of the estimated population. This rate is 1·7 above that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest rate of mortality was recorded in Paisley, viz., 10·7 per thousand; and the highest in Glasgow, viz., 20·4 per thousand.

The seven principal Epidemic diseases accounted for 61 deaths, being at the rate of 1·9 per thousand of population, or 0·4 above that for last week. Of these deaths, 20 were due to the Diarrhoeal diseases, and 13 to Measles, all of the latter having occurred in Glasgow. Four deaths from Small-pox were recorded in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 135, being 7 above the number for the previous week.

The Mean Temperature was 41°·4, being 4°·6 below that for the week immediately preceding, but 1°·1 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 21, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Nov. 21, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	859	569	214	57·2	27·0	41·4	0·22
GLASGOW, . . .	12,681	786,897	62·053	9·49	403	309	105	57·2	*	*	0·11
EDINBURGH, . .	11,416	327,441	28·683	13·96	144	103	38	49·6	32·7	40·9	0·05
DUNDEE, . . .	4,162	162,805	39·117	11·95	93	47	26	51·8	33·0	41·2	0·03
ABERDEEN, . .	6,795	160,780	23·662	15·37	75	38	18	49·0	32·2	40·1	1·07
PAISLEY, . . .	3,538	82,608	23·349	15·47	50	17	8	50·9	30·0	42·8	0·15
LEITH, . . . .	2,044	79,552	38·920	11·98	39	23	6	51·5	34·9	42·9	0·07
GREENOCK, . .	1,440	69,252	48·092	10·78	39	21	10	52·0	31·9	42·0	0·30
PERTH, . . . .	2,122	33,577	15·823	18·79	16	11	3	51·5	27·0	40·2	0·02
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	908	507	225	52·5	26·0	40·3	0·09

\* No minimum readings were available for six days of the week, owing to the thermometer being out of order.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

# Week ending Saturday, NOVEMBER 21, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 21, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.4	1.9	569	152	137	4	13	4	7	7	6	20	1	135	27	138	23	6
GLASGOW, . . .	20.4	2.6	309	88	58	4	13	2	3	2	5	11	0	78	15	85	14	6
EDINBURGH, . .	16.4	1.1	103	24	32	0	0	1	1	2	0	3	1	24	6	25	8	0
DUNDEE, . . .	15.0	0.3	47	15	14	0	0	0	0	0	0	1	0	16	2	8	0	0
ABERDEEN, . .	12.3	1.6	38	12	12	0	0	0	0	1	0	4	0	7	1	7	1	0
PAISLEY, . . .	10.7	0.6	17	3	8	0	0	0	0	1	0	0	0	2	0	3	0	0
LEITH, . . . .	15.0	0.7	23	7	3	0	0	1	0	0	0	0	0	8	1	4	0	0
GREENOCK, . .	15.8	2.3	21	1	8	0	0	0	1	0	1	1	0	0	1	2	0	0
PERTH, . . . .	17.0	4.6	11	2	2	0	0	0	2	1	0	0	0	0	1	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 22, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15.7	1.3	507	132	111	0	2	8	2	9	2	20	3	118	27	121	23	5
GLASGOW, . . .	15.6	1.5	232	62	42	0	0	3	1	6	1	11	1	55	14	52	11	4
EDINBURGH, . .	16.6	0.8	103	26	28	0	0	0	0	0	0	5	0	25	5	36	4	0
DUNDEE, . . .	15.7	1.9	49	13	11	0	0	2	0	2	1	1	2	15	0	11	0	0
ABERDEEN, . .	13.9	0.7	42	11	8	0	2	0	0	0	0	0	0	10	2	8	1	0
PAISLEY, . . .	20.5	1.9	32	9	7	0	0	2	0	0	0	1	0	4	1	9	3	0
LEITH, . . . .	11.2	1.3	17	5	5	0	0	0	0	1	0	1	0	4	1	0	0	0
GREENOCK, . .	18.9	2.3	25	6	6	0	0	1	1	0	0	1	0	2	4	4	4	1
PERTH, . . . .	10.9	0.0	7	0	4	0	0	0	0	0	0	0	0	3	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 48.      WEEK ENDING SATURDAY, NOVEMBER 28, 1903.

The number of deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 28, 1903, was 611, being at the annual rate of 18·7 per thousand of the estimated population. This rate is 1·3 below that for the corresponding week of last year, but 1·3 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 9·3 per thousand; and the highest in Paisley, viz., 22·7 per thousand.

From the seven principal Epidemic diseases there resulted 62 deaths, being at the rate of 1·9 per thousand of population, or the same as that for last week. Of these deaths, 22 were due to the Diarrhœal diseases; 17 to Measles, all of which occurred in Glasgow; and 9 to Hooping-cough. Three deaths from Small-pox were registered in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 146, being 11 above the number for the previous week.

The Mean Temperature was 40°·2, being 1°·2 below that for the week immediately preceding, and 3°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 28, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Nov. 28, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	871	611	235	53·5	24·0	40·2	1·16
GLASGOW, . . .	12,681	786,897	62·053	9·49	440	315	104	53·4	32·0	41·7	1·09
EDINBURGH, . .	11,416	327,441	28·683	13·96	117	118	61	52·6	30·6	40·0	0·93
DUNDEE, . . .	4,162	162,805	39·117	11·95	85	54	15	51·0	29·9	39·0	0·45
ABERDEEN, . .	6,795	160,780	23·662	15·37	85	36	19	52·0	24·0	38·2	1·47
PAISLEY, . . .	3,538	82,608	23·349	15·47	39	36	5	...	...	...	...
LEITH, . . . .	2,044	79,552	38·920	11·98	53	24	12	53·5	32·1	41·8	0·89
GREENOCK, . .	1,440	69,252	48·092	10·78	40	22	16	53·0	30·2	40·7	2·11
PERTH, . . . .	2,122	33,577	15·823	18·79	12	6	3	...	...	...	...
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	897	646	270	54·2	27·5	43·4	1·00

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1903.      23/2098.

(TURN OVER.)

# Week ending Saturday, NOVEMBER 28, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 28, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	18·7	1·9	611	161	134	3	17	2	5	9	4	22	2	146	20	152	14	3
GLASGOW, . .	20·8	3·0	315	89	56	3	17	1	2	7	3	12	1	84	15	75	7	2
EDINBURGH,	18·7	1·1	118	23	32	0	0	0	1	1	0	5	1	20	3	33	1	0
DUNDEE, . .	17·2	0·6	54	11	16	0	0	0	0	0	1	1	0	13	2	16	1	0
ABERDEEN, .	11·6	1·3	36	12	7	0	0	1	0	1	0	2	0	8	0	11	0	0
PAISLEY, . .	22·7	1·9	36	11	6	0	0	0	1	0	0	2	0	9	0	8	1	1
LEITH, . . .	15·7	0·0	24	9	6	0	0	0	0	0	0	0	0	7	0	5	1	0
GREENOCK, .	16·5	0·0	22	4	10	0	0	0	0	0	0	0	0	3	0	2	3	0
PERTH, . . .	9·3	1·5	6	2	1	0	0	0	1	0	0	0	0	2	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 29, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl-demic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·0	1·8	646	153	149	*1	5	6	7	15	5	20	5	130	24	130	23	2
GLASGOW, .	19·6	1·8	293	68	44	*1	1	1	1	10	2	11	2	59	10	68	13	2
EDINBURGH,	21·9	1·6	136	34	43	0	2	1	1	2	1	3	1	25	5	32	8	0
DUNDEE, . .	21·2	1·0	66	9	21	0	0	0	1	0	1	1	1	11	5	8	0	0
ABERDEEN, .	20·1	3·0	61	18	17	0	2	1	2	2	0	2	0	13	1	10	0	0
PAISLEY, . .	23·1	2·6	36	11	11	0	0	1	0	0	1	2	0	10	0	5	1	0
LEITH, . . .	13·9	1·3	21	8	5	0	0	0	0	1	0	1	1	6	1	0	0	0
GREENOCK, .	18·9	3·0	25	4	6	0	0	2	2	0	0	0	0	3	1	7	1	0
PERTH, . . .	12·5	0·0	8	1	2	0	0	0	0	0	0	0	0	3	1	0	0	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49.      WEEK ENDING SATURDAY, DECEMBER 5, 1903.

The number of deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 5, 1903, was 655, being at the annual rate of 20·0 per thousand of the estimated population. This rate is 1·5 above that for the corresponding week of last year, and 1·3 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 12·4 per thousand; and the highest in Dundee, viz., 24·0 per thousand.

The seven principal Epidemic diseases accounted for 54 deaths, being at the rate of 1·6 per thousand of population, or 0·3 below that for last week. Of these deaths, 22 were due to Measles, all of which occurred in Glasgow; 12 to the Diarrhoeal diseases; and 7 to Hooping-cough. Two deaths from Small-pox were recorded in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 135, being 11 below the number for the previous week.

The Mean Temperature was 33°·5, being 6°·7 below that for the week immediately preceding, and 3°·4 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 5, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Dec. 5, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	929	655	331	49·2	19·0	33·5	0·89
GLASGOW, . . . .	12,681	786,897	62·053	9·49	478	324	149	49·2	20·0	33·3	0·99
EDINBURGH, . . .	11,416	327,441	28·683	13·96	132	108	76	46·1	25·6	34·2	0·24
DUNDEE, . . . .	4,162	162,805	39·117	11·95	98	75	19	41·2	24·2	32·1	0·15
ABERDEEN, . . .	6,795	160,780	23·662	15·37	96	63	41	44·0	19·5	30·8	0·63
PAISLEY, . . . .	3,538	82,608	23·349	15·47	35	21	7	48·0	24·9	35·3	1·88
LEITH, . . . . .	2,044	79,552	38·920	11·98	36	25	17	47·4	28·5	35·6	0·26
GREENOCK, . . .	1,440	69,252	48·092	10·78	39	31	14	48·5	26·0	35·1	2·68
PERTH, . . . . .	2,122	33,577	15·823	18·79	15	8	8	47·0	19·0	31·3	0·25
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	925	599	352	47·5	23·2	36·9	1·34

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,  
and sold by OLIVER & BOYD, Edinburgh.



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50.

WEEK ENDING SATURDAY, DECEMBER 12, 1903.

The number of deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 12, 1903, was 735, being at the annual rate of 22·4 per thousand of the estimated population. This rate is 2·5 above that for the corresponding week of last year, and 2·4 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh, viz., 16·4 per thousand; and the highest in Greenock, viz., 29·3 per thousand.

The seven principal Epidemic diseases accounted for 73 deaths, being at the rate of 2·2 per thousand, or 0·6 above that for last week. Of these deaths, 34 were due to Measles, all of which occurred in Glasgow; 15 to Diarrhoea; 13 to Hooping-cough; and 6 to Scarlet Fever. One death from Small-pox occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 191, being 56 above the number for the previous week.

The Mean Temperature was 37°·7, being 4°·2 above that for last week, and 3°·0 above that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 12, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Dec. 12, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	934	735	247	48·8	20·0	37·7	0·94
GLASGOW, . . .	12,681	786,897	62·053	9·49	441	391	110	45·8	28·5	39·4	0·72
EDINBURGH, . .	11,416	327,441	28·683	13·96	144	103	69	45·2	28·6	38·3	0·36
DUNDEE, . . .	4,162	162,805	39·117	11·95	97	71	10	42·0	23·3	34·9	0·91
ABERDEEN, . .	6,795	160,780	23·662	15·37	109	59	37	48·8	21·8	35·6	1·17
PAISLEY, . . .	3,538	82,608	23·349	15·47	50	27	6	46·8	29·9	39·8	1·00
LEITH, . . . .	2,044	79,552	38·920	11·98	50	31	4	46·0	28·2	39·1	0·35
GREENOCK, . .	1,440	69,252	48·092	10·78	27	39	7	45·0	30·2	38·9	1·47
PERTH, . . . .	2,122	33,577	15·823	18·79	16	14	4	42·0	20·0	35·4	1·55
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	925	643	283	49·9	16·0	34·7	0·17

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

**Week ending Saturday, DECEMBER 12, 1903.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 12, 1903.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.4	2.2	735	179	179	1	34	6	2	13	2	15	1	191	24	147	31	5
GLASGOW, .	25.8	3.7	391	96	71	1	34	5	2	5	0	9	1	107	11	78	16	5
EDINBURGH,	16.4	0.8	103	19	36	0	0	1	0	2	0	2	0	26	2	26	5	0
DUNDEE, . .	22.7	0.6	71	15	20	0	0	0	0	0	0	2	0	15	3	14	0	0
ABERDEEN, .	19.1	1.3	59	14	17	0	0	0	0	3	0	1	0	15	3	9	2	0
PAISLEY, . .	17.0	1.3	27	8	6	0	0	0	0	2	0	0	0	5	0	2	5	0
LEITH, . . .	20.3	0.7	31	12	10	0	0	0	0	0	0	1	0	10	1	5	1	0
GREENOCK, .	29.3	1.5	39	11	15	0	0	0	0	0	2	0	0	9	3	9	1	0
PERTH, . . .	21.7	1.5	14	4	4	0	0	0	0	1	0	0	0	4	1	4	1	0

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 13, 1902.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Inspec- tious Causes.
In Eight Towns,	19.9	2.2	643	157	164	0	7	2	9	31	3	20	3	138	31	143	19	1
GLASGOW, .	22.6	3.0	337	86	80	0	4	0	6	20	2	12	1	78	16	69	5	0
EDINBURGH,	17.2	1.0	107	24	34	0	2	0	1	2	0	1	0	21	4	32	6	0
DUNDEE, . .	18.0	2.2	56	16	13	0	0	0	0	3	0	4	1	9	4	12	4	1
ABERDEEN, .	15.5	1.0	47	15	13	0	1	0	0	0	0	2	0	9	1	3	0	0
PAISLEY, . .	19.9	3.2	31	3	9	0	0	2	0	3	0	0	0	7	2	8	2	0
LEITH, . . .	21.2	0.7	32	9	6	0	0	0	0	1	0	0	0	7	2	8	2	0
GREENOCK, .	13.6	2.3	18	3	5	0	0	0	1	1	0	1	1	4	1	3	0	0
PERTH, . . .	23.4	4.7	15	1	4	0	0	0	1	1	1	0	0	3	1	8	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51.      WEEK ENDING SATURDAY, DECEMBER 19, 1903.

The number of deaths registered in Eight of the Principal Towns of Scotland for the week ending with Saturday, December 19, 1903, was 686, being at the annual rate of 20·9 per thousand of the estimated population. This rate is 0·2 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 13·7 per thousand; and the highest in Paisley, viz., 23·3 per thousand.

The seven principal Epidemic diseases accounted for 62 deaths, being at the rate of 1·9 per thousand, or 0·3 below that for last week. Measles was the most fatal of these diseases, accounting for 33 deaths, of which 30 occurred in Glasgow; Diarrhoea caused 10 deaths, and Hooping-cough, 9. Two deaths from Small-pox were registered in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy numbered 184, or 7 below the number for last week.

The Mean Temperature was 37°·8, being 0°·1 above that for last week, and 6°·2 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 19, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Dec. 19, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	1001	686	215	47·8	26·0	37·8	0·63
GLASGOW, . . .	12,681	786,897	62·053	9·49	513	346	97	45·5	26·0	37·1	0·35
EDINBURGH, . .	11,416	327,441	28·683	13·96	185	116	48	45·7	26·8	37·0	0·36
DUNDEE, . . .	4,162	162,805	39·117	11·95	87	65	20	44·3	28·4	37·4	0·92
ABERDEEN, . .	6,795	160,780	23·662	15·37	80	65	28	46·0	27·8	39·1	0·90
PAISLEY, . . .	3,538	82,608	23·349	15·47	45	37	3	47·0	30·0	38·2	0·59
LEITH, . . . .	2,044	79,552	38·920	11·98	47	21	2	47·5	31·0	39·0	0·30
GREENOCK, . .	1,440	69,252	48·092	10·78	30	21	6	47·8	31·0	38·5	0·79
PERTH, . . . .	2,122	33,577	15·823	18·79	14	15	11	45·0	27·0	36·5	0·87
Corresponding Week of 1902. — Eight Towns.	44,196	1,679,923	38·011	12·13	895	681	267	55·2	32·0	44·0	1·78

**Week ending Saturday, DECEMBER 19, 1903.**

**TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, December 19, 1903.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.9	1.9	686	157	164	3	33	2	3	9	2	10	0	184	27	169	27	3
GLASGOW, .	22.9	3.4	346	82	63	*3	30	2	0	4	2	10	0	92	12	88	11	3
EDINBURGH,	18.4	0.8	116	23	40	0	2	0	2	1	0	0	0	32	6	34	8	0
DUNDEE, . .	20.8	0.3	65	10	16	0	0	0	1	0	0	0	0	17	2	17	0	0
ABERDEEN, .	21.0	1.0	65	15	13	0	0	0	0	3	0	0	0	16	3	12	1	0
PAISLEY, . .	23.3	0.6	37	14	7	0	1	0	0	0	0	0	0	14	0	7	3	0
LEITH, . . .	13.7	0.7	21	5	11	0	0	0	0	1	0	0	0	6	2	3	1	0
GREENOCK, .	15.8	0.0	21	6	7	0	0	0	0	0	0	0	0	3	2	3	3	0
PERTH, . . .	23.2	0.0	15	2	7	0	0	0	0	0	0	0	0	4	0	5	0	0

\* One Chicken-pox.

**TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, December 20, 1902.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl- demic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
In Eight Towns,	21.1	2.1	681	157	175	0	5	6	4	32	6	15	1	169	21	156	24	4
GLASGOW, .	21.1	2.5	314	79	62	0	2	2	2	22	4	5	0	78	8	73	11	3
EDINBURGH,	20.3	1.1	126	22	47	0	1	1	0	3	0	2	0	33	3	39	6	0
DUNDEE, . .	24.4	0.6	76	14	23	0	0	0	0	2	0	0	0	21	4	18	0	0
ABERDEEN, .	22.1	3.6	67	28	12	0	1	1	1	2	0	6	1	15	1	9	3	0
PAISLEY, . .	20.5	1.3	32	5	10	0	0	1	0	0	1	0	0	9	1	6	2	1
LEITH, . . .	19.2	2.0	29	5	9	0	1	0	0	1	0	1	0	10	1	4	1	0
GREENOCK, .	20.4	4.5	27	3	7	0	0	1	1	2	1	1	0	2	3	6	1	0
PERTH, . . .	15.6	0.0	10	1	5	0	0	0	0	0	0	0	0	1	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 26, 1903.

The number of deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 26, 1903, was 680, representing an annual mortality rate of 20·8 per thousand of the estimated population. This rate is 0·1 below that for the previous week, and 0·5 below that for the corresponding week of last year.

The lowest rate of mortality was recorded in Paisley, viz., 12·0 per thousand; and the highest in Dundee, viz., 24·9 per thousand.

The seven principal Epidemic diseases accounted for 74 deaths, being at the rate of 2·3 per thousand of population, or 0·4 above that for last week. The deaths from Measles numbered 25, of which 23 occurred in Glasgow. Diarrhoea caused 16 deaths, and Hooping-cough 16, of which 8 occurred in Glasgow and 5 in Aberdeen. Four deaths from Small-pox were registered in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 180, being 4 below the number for the previous week.

The Mean Temperature was 39°·0, being 1°·2 above that for last week, but 6°·8 below that for the corresponding week of 1902.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 26, 1903, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Prox-imity in Yards.	Registered during the Week ending Dec. 26, 1903.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	844	680	309	54·8	21·0	39·0	0·59
GLASGOW, . . .	12,681	786,897	62·053	9·49	382	350	110	54·8	25·8	38·1	0·59
EDINBURGH, . .	11,416	327,441	28·683	13·96	132	103	81	53·1	29·6	41·2	0·10
DUNDEE, . . .	4,162	162,805	39·117	11·95	86	78	24	51·8	26·6	37·7	0·28
ABERDEEN, . .	6,795	160,780	23·662	15·37	95	66	39	51·0	28·0	37·8	0·06
PAISLEY, . . .	3,538	82,608	23·349	15·47	52	19	18	52·8	29·0	40·6	0·98
LEITH, . . . .	2,044	79,552	38·920	11·98	42	21	15	54·5	32·0	40·9	0·23
GREENOCK, . .	1,440	69,252	48·092	10·78	36	31	15	53·0	26·0	40·1	1·82
PERTH, . . . .	2,122	33,577	15·823	18·79	19	12	7	52·0	21·0	35·6	0·69
Corresponding Week of 1902.—Eight Towns.	44,196	1,679,923	38·011	12·13	875	688	339	55·5	26·0	45·8	0·47

# Week ending Saturday, DECEMBER 26, 1903.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 26, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·8	2·3	680	138	170	5	25	4	4	16	4	16	0	180	24	143	26
GLASGOW, .	23·1	3·4	350	71	66	*5	23	2	2	8	2	10	0	98	11	84	11
EDINBURGH,	16·4	0·5	103	14	33	0	0	0	0	2	0	1	0	22	3	28	5
DUNDEE, . .	24·9	1·6	78	16	27	0	1	1	2	0	0	1	0	23	3	11	2
ABERDEEN, .	21·3	1·9	66	18	22	0	0	0	0	5	0	1	0	15	5	6	5
PAISLEY, . .	12·0	1·9	19	2	6	0	1	1	0	1	0	0	0	6	0	1	0
LEITH, . . .	13·7	1·3	21	5	3	0	0	0	0	0	1	1	0	3	1	6	0
GREENOCK, .	23·3	0·8	31	9	10	0	0	0	0	0	0	1	0	9	1	5	3
PERTH, . . .	18·6	3·1	12	3	3	0	0	0	0	0	1	1	0	4	0	2	0

\* One Chicken pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 27, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·3	1·9	688	148	172	*1	6	3	6	20	6	18	2	191	32	149	33
GLASGOW, .	23·0	2·5	343	70	76	0	2	1	3	16	5	11	1	104	14	72	18
EDINBURGH,	20·6	1·4	128	28	50	*1	2	1	1	1	1	2	0	29	7	33	6
DUNDEE, . .	18·3	1·0	57	6	18	0	0	0	0	2	0	1	0	13	2	15	1
ABERDEEN, .	17·5	2·0	53	18	12	0	2	0	0	1	0	3	0	17	1	11	4
PAISLEY, . .	23·7	1·9	37	11	3	0	0	1	1	0	0	1	0	11	4	7	1
LEITH, . . .	19·8	0·0	30	6	4	0	0	0	0	0	0	0	0	8	3	4	1
GREENOCK, .	19·7	0·8	26	7	7	0	0	0	1	0	0	0	1	6	1	2	2
PERTH, . . .	21·9	0·0	14	2	2	0	0	0	0	0	0	0	0	3	0	5	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

53. WEEK ENDING SATURDAY, JANUARY 2, 1904.

The number of deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 2, 1904, was 712, being at the annual rate of 21·7 per thousand the estimated population. This rate is 0·1 above that for the corresponding week of last year, 0·9 above that for the week immediately preceding.

The lowest rate of mortality occurred in Leith, viz., 13·7 per thousand; and the highest at Perth, viz., 27·9 per thousand.

From the seven principal Epidemic diseases there resulted 72 deaths, being at the rate of 0·1 per thousand of population, or 0·1 below that for last week. Of these deaths 26 were due to measles, of which 23 occurred in Glasgow; 21 to Diarrhœa; and 14 to Hooping-cough. Five deaths from Small-pox were recorded in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 175, being 5 less than the number recorded during the previous week.

The Mean Temperature was 34°·0, being 5°·0 below that for the previous week, and 3°·1 below that for the corresponding week of last year.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 2, 1904, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1903.	Persons to an Acre. 1903.	Proximity in Yards.	Registered during the Week ending Jan. 2, 1904.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,198	1,702,912	38·529	12·04	945	712	750	41·0	19·0	34·0	0·13
GLASGOW, . . .	12,681	786,897	62·053	9·49	493	372	335	40·4	20·0	33·6	0·00
EDINBURGH, . .	11,416	327,441	28·683	13·96	132	126	137	38·4	26·0	33·4	0·02
DUNDEE, . . .	4,162	162,805	39·117	11·95	80	63	76	39·8	23·2	34·4	0·31
PERCY PARISH, . .	6,795	160,780	23·662	15·37	109	53	101	41·0	25·0	36·6	0·54
GLASGOW, . . .	3,538	82,608	23·349	15·47	38	37	13	39·4	22·0	33·8	0·02
LEITH, . . . .	2,044	79,552	38·920	11·98	34	21	32	38·7	25·5	34·3	0·02
GREENOCK, . .	1,440	69,252	48·092	10·78	42	22	30	38·9	23·0	32·8	0·00
PERTH, . . . .	2,122	33,577	15·823	18·79	17	18	26	39·0	19·0	33·0	0·17
Corresponding Week of preceding Year. Eight Towns.	44,196	1,679,923	38·011	12·13	908	707	994	52·8	22·0	37·1	1·38

# Week ending Saturday, JANUARY 2, 1904.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 2, 1904.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.7	2.2	712	177	160	*6	26	2	1	14	2	21	2	175	30	174	29
GLASGOW, .	24.6	3.2	372	93	73	*6	23	1	0	6	2	10	1	102	9	89	14
EDINBURGH,	20.0	1.6	126	27	36	0	0	1	1	4	0	4	0	26	11	34	4
DUNDEE, . .	20.1	1.6	63	21	7	0	1	0	0	0	0	4	0	18	2	11	3
ABERDEEN, .	17.1	1.9	53	15	17	0	0	0	0	4	0	2	0	5	4	15	1
PAISLEY, . .	23.3	1.3	37	6	10	0	2	0	0	0	0	0	0	10	1	10	5
LEITH, . . .	13.7	0.7	21	4	5	0	0	0	0	0	0	1	1	5	1	8	0
GREENOCK, .	16.5	0.0	22	6	5	0	0	0	0	0	0	0	0	4	1	2	2
PERTH, . . .	27.9	0.0	18	5	7	0	0	0	0	0	0	0	0	5	1	5	0

\* One Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 3, 1903.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.6	2.4	707	144	168	0	10	3	13	33	4	14	4	154	30	164	39
GLASGOW, .	23.3	2.6	352	80	65	0	0	2	4	26	1	7	3	89	13	74	22
EDINBURGH,	18.7	1.7	118	20	38	0	1	0	4	4	0	2	0	22	1	37	8
DUNDEE, . .	22.4	1.3	70	16	19	0	0	0	2	2	0	0	0	13	4	14	1
ABERDEEN, .	18.1	2.9	56	9	24	0	8	0	0	0	0	1	0	12	0	11	1
PAISLEY, . .	21.4	1.9	34	5	4	0	0	0	0	0	1	2	1	6	0	3	3
LEITH, . . .	19.0	2.6	29	9	6	0	1	0	0	1	0	2	0	5	2	8	1
GREENOCK, .	27.8	3.0	37	4	9	0	0	1	1	0	2	0	0	6	7	12	3
PERTH, . . .	17.0	3.1	11	1	3	0	0	0	2	0	0	0	0	1	3	5	0